## Exercises 3 Linear function and equations Linear function, simple interest, cost, revenue, profit, break-even

## Objectives

- be able to think of a relation between two quantities as a function.
- be able to determine the domain, the codomain, the range of a given function.
- be able to draw the graph of a given linear function.
- be able to determine slope and intercept of a linear function.
- know some examples of linear functions in economic and everyday life applications.
- know and understand what simple interest is.
- be able to perform simple interest calculation.
- know and understand what fixed costs, variable costs, total costs, total revenue, total profit, and break-even value are.
- be able to apply the concept of linear functions to a new problem.

## Problems

3.1 A taxi driver charges the following fare:

8.00 CHF plus 1.50 CHF per kilometre

Think of the taxi fare as a function f.

- a) Determine the domain D, the codomain C, and the range R of the function.
- b) Draw the graph of the function f.
- 3.2 The taxi fare as described in problem 3.1 can be thought of as a linear function which assigns a fare to each distance:

f: 
$$\mathbb{R}^+ \rightarrow \mathbb{R}^+$$
  
x  $\mapsto$  y = f(x) = ax + b  
where: x = distance/km  
y = fare/CHF

Determine the values of a and b.

- 3.3 Find at least two more examples of linear functions in economics or in an everyday life context.
- 3.4 State both slope and intercept of the linear functions below, and draw the graphs of the functions:

a) f: 
$$\mathbb{R} \to \mathbb{R}$$

$$x \mapsto y = f(x) = -$$

b) f: 
$$\mathbb{R} \to \mathbb{R}$$
  
 $x \mapsto y = f(x) = 2x - 6$ 

c) f: 
$$\mathbb{R} \to \mathbb{R}$$
  
 $x \mapsto y = f(x) = -x + 3$ 

- 3.5 Simple interest at an annual rate of 0.5% is paid on an initial bank balance of 5000 CHF.
  - a) Determine the interest that is paid each year.

2

- b) Determine the balance after ten years' time.
- c) Determine both slope and intercept of the corresponding linear function.

3.6 In general, if an initial capital  $C_0$  pays simple interest at an annual rate r (e.g. r = 1.5% = 0.015), the capital  $C_n$  after n years is given by the formula below (see formulary):

```
C_n = C_0 \left(1 + nr\right)
```

- a) Verify that the given formula is correct.
- b) Determine both slope and intercept of the corresponding linear function.
- 3.7 An initial capital  $C_0 = 1200$  CHF pays simple interest at an annual interest rate of 1.5%.
  - a) After how many years will the capital exceed 2000 CHF?
  - b) At what annual interest rate (rounded to 0.05%) would the capital exceed 2000 CHF after 20 years' time?

Hint:

- Use the formula given in problem 3.6 and solve it for n and r respectively.

3.8 A satellite phone company offers three different tariffs:

Tariff A:	monthly basic fee of 10 CHF plus 0.20 CHF per minute
Tariff B:	monthly basic fee of 25 CHF plus 0.10 CHF per minute
Tariff C:	no basic fee, 0.60 CHF per minute

Think of the three tariffs as linear functions.

- a) Draw the graphs of the three functions in one common coordinate system.
- b) Determine the total fee for each tariff for a monthly phone call duration of 1 hour.
- c) For what monthly phone call duration tariff A is cheaper than tariff C?
- d) For what monthly phone call duration tariff B is cheaper than tariff A?
- 3.9 (from: Bittinger, Ellenbogen: Calculus and its applications, Pearson 2007, ISBN 0-321-48543-2)

**EXAMPLE 9** Business: Total Cost. Raggs, Ltd., a clothing firm, has **fixed costs** of \$10,000 per year. These costs, such as rent, maintenance, and so on, must be paid no matter how much the company produces. To produce x units of a certain kind of suit, it costs \$20 per suit (unit) in addition to the fixed costs. That is, the **variable costs** for producing x of these suits are 20x dollars. These costs are due to the amount produced and stem from items such as material. wages, fuel, and so on. The **total cost** C(x) of producing x suits in a year is given by a function C:

C(x) = (Variable costs) + (Fixed costs) = 20x + 10,000.

- a) Graph the variable-cost, the fixed-cost, and the total-cost functions.
- **b)** What is the total cost of producing 100 suits? 400 suits?

## 3.10 (see next page)

3.10 (from: Bittinger, Ellenbogen: Calculus and its applications, Pearson 2007, ISBN 0-321-48543-2)

**EXAMPLE 10** Business: Profit-and-Loss Analysis. When a business sells an item, it receives the *price* paid by the consumer (this is normally greater than the *cost* to the business of producing the item).

**a)** The **total revenue** that a business receives is the product of the number of items sold and the price paid per item. Thus, if Raggs, Ltd., sells x suits at \$80 per suit, the total revenue R(x), in dollars, is given by

R(x) = Unit price  $\cdot$  Quantity sold = 80x.

If C(x) = 20x + 10,000 (see Example 9), graph R and C using the same set of axes.

**b)** The **total profit** that a business receives is the amount left after all costs have been subtracted from the total revenue. Thus, if P(x) represents the total profit when *x* items are produced and sold, we have

P(x) = (Total revenue) - (Total costs) = R(x) - C(x).

Determine P(x) and draw its graph using the same set of axes as was used for the graph in part (a).

- c) The company will *break even* at that value of x for which P(x) = 0 (that is, no profit and no loss). This is the point at which R(x) = C(x). Find the **break-even** value of x.
- 3.11 Decide which statements are true or false. Put a mark into the corresponding box. In each problem a) to c), exactly one statement is true.
  - a) Each straight line in a coordinate system can be considered as the graph of a linear function. The graph of each linear function is a straight line. If y is proportional to x, x is not necessarily proportional to y. The range of each linear function is R.
    b) f cannot be a linear function if ... ... the graph of f is a straight line.
    - ...  $f(x) \neq x$  for at least one element x of the domain of f.
    - ... the domain of f does not consist of all real numbers.
    - ... f(x) = ax + b and a depends on x.
  - c) In a simple interest scheme ...
    - ... the relation between time and capital does not correspond to a linear function.
    - ... the interest paid at the end of each period depends on the capital at the end of the previous period.
    - ... the interest paid at the end of each period is always the same amount of money.
    - ... the capital doubles in less than 5 years if the annual interest rate is 20%.