

Exercises 6 Quadratic function and equations Quadratic function

Objectives

- be able to graph a quadratic function out of the vertex form of its equation.
- be able to determine the position of the vertex of a parabola out of the vertex form of the equation of the corresponding quadratic function.
- be able to convert the vertex form of the equation of a quadratic function into the general form.
- know, understand, and be able to apply the method of completing the square.
- be able to convert the general form of the equation of a quadratic function into the vertex form.

Problems

6.1 Look at the easiest possible quadratic function:

$$\begin{aligned} f: \mathbb{R} &\rightarrow \mathbb{R} \\ x &\mapsto y = f(x) = x^2 \end{aligned}$$

- a) Establish a table of values of f for the interval $-4 \leq x \leq 4$.
- b) Draw the graph of f in the interval $-4 \leq x \leq 4$ into a Cartesian coordinate system.

6.2 The equation of a general quadratic function can be written in the so-called vertex form below:

$$\begin{aligned} f: D &\rightarrow \mathbb{R} && (D \subseteq \mathbb{R}) \\ x &\mapsto y = f(x) = a(x - u)^2 + v && (a \in \mathbb{R} \setminus \{0\}, u \in \mathbb{R}, v \in \mathbb{R}) \end{aligned}$$

Investigate the influence of the three parameters \mathbf{a} , \mathbf{u} , and \mathbf{v} on the graph of the quadratic function by always varying only one parameter and keeping the other two parameters constant:

- a) Parameter \mathbf{u} (**varying u** , keeping a and v constant)

$y = f_0(x) = x^2$	$(a = 1, u = \mathbf{0}, v = 0)$
$y = f_1(x) = (x - 2)^2$	$(a = 1, u = \mathbf{2}, v = 0)$
$y = f_2(x) = (x + 1)^2$	$(a = 1, u = \mathbf{-1}, v = 0)$

 - i) Sketch the graphs of the functions f_0 , f_1 , and f_2 into one coordinate system.
 - ii) Describe the influence of the parameter \mathbf{u} on the graph of the quadratic function.

- b) Parameter \mathbf{v} (**varying v** , keeping a and u constant)

$y = f_0(x) = x^2$	$(a = 1, u = 0, v = \mathbf{0})$
$y = f_1(x) = x^2 + 3$	$(a = 1, u = 0, v = \mathbf{3})$
$y = f_2(x) = x^2 - 2$	$(a = 1, u = 0, v = \mathbf{-2})$

 - i) Sketch the graphs of the functions f_0 , f_1 , and f_2 into one coordinate system.
 - ii) Describe the influence of the parameter \mathbf{v} on the graph of the quadratic function.

- c) Parameter \mathbf{a} (**varying a** , keeping u and v constant)

$y = f_0(x) = x^2$	$(a = \mathbf{1}, u = 0, v = 0)$
$y = f_1(x) = 2x^2$	$(a = \mathbf{2}, u = 0, v = 0)$
$y = f_2(x) = -2x^2$	$(a = \mathbf{-2}, u = 0, v = 0)$

 - i) Sketch the graphs of the functions f_0 , f_1 , and f_2 into one coordinate system.
 - ii) Describe the influence of the parameter \mathbf{a} on the graph of the quadratic function.

d) Parameter **a** (varying **a**, keeping **u** and **v** constant)

$$\begin{aligned} y = f_0(x) &= x^2 & (\mathbf{a} = 1, u = 0, v = 0) \\ y = f_1(x) &= \frac{1}{2}x^2 & (\mathbf{a} = \frac{1}{2}, u = 0, v = 0) \\ y = f_2(x) &= -\frac{1}{2}x^2 & (\mathbf{a} = -\frac{1}{2}, u = 0, v = 0) \end{aligned}$$


- i) Sketch the graphs of the functions f_0 , f_1 , and f_2 into one coordinate system.
- ii) Describe the influence of the parameter **a** on the graph of the quadratic function.

6.3 For each quadratic function $f: \mathbb{R} \rightarrow \mathbb{R}, x \mapsto y = f(x)$ in a) to h) ...

- i) ... state the parameters **a**, **u**, and **v**.
- ii) ... state the coordinates of the vertex of the graph.
- iii) ... state whether the parabola, i.e. the graph of the function, opens upwards or downwards.
- iv) ... graph the function.

a) $y = f(x) = (x + 2)^2$	b) $y = f(x) = -3x^2$
c) $y = f(x) = 2x^2 - 1$	d) $y = f(x) = -(x - 3)^2 + 4$
e) $y = f(x) = \frac{1}{2}(x + 3)^2 + 2$	f) $y = f(x) = -2(x - 1)^2 + 5$
g) $y = f(x) = \frac{5}{2} - \left(x - \frac{1}{2}\right)^2$	h) $y = f(x) = -\frac{1}{2} - 3(2 - x)^2$

6.4 Look at the graphs of the quadratic functions f_0 , f_1 , and f_2 :



Determine the equations of the three functions, i.e. $y = f(x) = \dots$

6.5 The equation of a quadratic function f is written in the vertex form. Determine the general form of the equation:

a) $y = f(x) = 2(x - 3)^2 + 4$	b) $y = f(x) = -(x + 2)^2 - 3$
c) $y = f(x) = x^2 + 5$	d) $y = f(x) = -3(x - 4)^2$

6.6 Convert the given equation of a quadratic function into the vertex form by completing the square:

- | | | | |
|----|---------------------------------------|----|--|
| a) | $y = f(x) = 3x^2 - 12x + 8$ | b) | $y = f(x) = x^2 + 6x$ |
| c) | $y = f(x) = x^2 - 2x + 1$ | d) | $y = f(x) = 2x^2 + 12x + 18$ |
| e) | $y = f(x) = -2x^2 - 6x - 2$ | f) | $y = f(x) = x^2 + 1$ |
| g) | $y = f(x) = -\frac{1}{2}x^2 + 2x - 2$ | h) | $y = f(x) = -4x^2 + 24x - 43$ |
| i) | $y = f(x) = 2(x - 3)(x + 4)$ | j) | $y = f(x) = x + 3 - \left(x + \frac{1}{2}\right)x$ |

6.7 For the graphs of the quadratic functions f in exercises 6.6 a) to j) ...

- ... determine the coordinates of the vertex.
- ... state whether the parabola opens upwards or downwards.

6.8 Decide which statements are true or false. Put a mark into the corresponding box.
In each problem a) to c), exactly one statement is true.

a) The graph of a quadratic function ...

- ... always intersects the x-axis in two points.
- ... opens downwards if it has no point in common with the x-axis.
- ... touches the x-axis if there is only one vertex.
- ... is always a parabola.

b) f is a linear function, and g is a quadratic function. It can be concluded that the graphs of f and g ...

- ... have no points in common.
- ... intersect only if the slope of f is not equal to zero.
- ... cannot have more than two points in common.
- ... have at least one point in common.

c) The vertex form of the equation of a quadratic function ...

- ... is identical with the general form if the vertex of the graph is on the y-axis.
- ... can be obtained from the general form by multiplying out all the terms.
- ... does not exist if the graph opens downwards.
- ... only depends on the position of the vertex.

Answers

6.1 ...

6.2 a) i) ...
ii) shift by u units in the positive x -direction

b) i) ...
ii) shift by v units in the positive y -direction

c) i) ...
ii) dilation by the factor a in the y direction with respect to the origin
if $a < 0$: reflection with respect to the x -axis

d) i) ...
ii) compression by the factor $1/a$ in the y direction with respect to the origin
if $a < 0$: reflection with respect to the x -axis

6.3 a) i) $a = 1, u = -2, v = 0$
ii) $V(-2|0)$
iii) parabola opens upwards
iv) ...

b) i) $a = -3, u = 0, v = 0$
ii) $V(0|0)$
iii) parabola opens downwards
iv) ...

c) i) $a = 2, u = 0, v = -1$
ii) $V(0|-1)$
iii) parabola opens upwards
iv) ...

d) i) $a = -1, u = 3, v = 4$
ii) $V(3|4)$
iii) parabola opens downwards
iv) ...

e) (see next page)

- e) i) $a = \frac{1}{2}, u = -3, v = 2$
ii) $V(-3|2)$
iii) parabola opens upwards
iv) ...
- f) i) $a = -2, u = 1, v = 5$
ii) $V(1|5)$
iii) parabola opens downwards
iv) ...
- g) i) $a = -1, u = \frac{1}{2}, v = \frac{5}{2}$
ii) $V\left(\frac{1}{2}|\frac{5}{2}\right)$
iii) parabola opens downwards
iv) ...
- h) i) $a = -3, u = 2, v = -\frac{1}{2}$
ii) $V\left(2|-\frac{1}{2}\right)$
iii) parabola opens downwards
iv) ...

6.4 $y = f_0(x) = x^2$
 $y = f_1(x) = 2(x - 2)^2 - 4$
 $y = f_2(x) = -\frac{1}{2}(x + 1)^2 + 6$

Hints:

- The graph directly tells you the coordinates of the vertex.
- Consider a further point of the graph.

6.5 a) $y = f(x) = 2x^2 - 12x + 22$
b) $y = f(x) = -x^2 - 4x - 7$
c) $y = f(x) = x^2 + 5$

Notice:

- This is both the general and the vertex form of the equation.

d) $y = f(x) = -3x^2 + 24x - 48$

6.6 a) $y = f(x) = 3(x - 2)^2 - 4$
b) $y = f(x) = (x + 3)^2 - 9$
c) $y = f(x) = (x - 1)^2$
d) (see next page)

- d) $y = f(x) = 2(x + 3)^2$
 e) $y = f(x) = -2\left(x + \frac{3}{2}\right)^2 + \frac{5}{2}$
 f) $y = f(x) = x^2 + 1$

Notice:

- This is both the general and the vertex form of the equation.

- g) $y = f(x) = -\frac{1}{2}(x - 2)^2$
 h) $y = f(x) = -4(x - 3)^2 - 7$
 i) $y = f(x) = 2\left(x + \frac{1}{2}\right)^2 - \frac{49}{2}$
 j) $y = f(x) = -\left(x - \frac{1}{4}\right)^2 + \frac{49}{16}$

- | | | | | | | |
|-----|-----|---|--|-----|---|--------------------------|
| 6.7 | a) | i) | $V(2 -4)$ | b) | i) | $V(-3 -9)$ |
| | | ii) | parabola opens upwards | | ii) | parabola opens upwards |
| | c) | i) | $V(1 0)$ | d) | i) | $V(-3 0)$ |
| | | ii) | parabola opens upwards | | ii) | parabola opens upwards |
| | e) | i) | $V\left(-\frac{3}{2} \frac{5}{2}\right)$ | f) | i) | $V(0 1)$ |
| | | ii) | parabola opens downwards | | ii) | parabola opens upwards |
| | g) | i) | $V(2 0)$ | h) | i) | $V(3 -7)$ |
| | | ii) | parabola opens downwards | | ii) | parabola opens downwards |
| i) | i) | $V\left(-\frac{1}{2} \frac{49}{2}\right)$ | j) | i) | $V\left(\frac{1}{4} \frac{49}{16}\right)$ | |
| | ii) | parabola opens upwards | | ii) | parabola opens downwards | |

- 6.8 a) 4th statement
 b) 3rd statement
 c) 1st statement