# Exercises 7 Quadratic function and equations Quadratic function/equations, supply, demand, market equilibrium

## **Objectives**

- know and understand the relation between a quadratic function and a quadratic equation.
- be able to solve a quadratic equation with the method of completing the square.
- be able to solve a quadratic equation by applying the quadratic formula.
- be able to solve special quadratic equations without applying the quadratic formula.
- be able to solve a quadratic equation containing a parameter.
- be able to determine the vertex form of the equation of a quadratic function out of the coordinates of the vertex and the coordinates of another point of the corresponding parabola.
- be able to determine the general form of the equation of a quadratic function out of the coordinates of three points of the corresponding parabola.
- be able to treat applied tasks in economics by means of quadratic equations or systems of quadratic equations.

#### **Problems**

7.1 Each quadratic equation can be converted into the following general form:

$$ax^2 + bx + c = 0 \qquad (a \in \mathbb{R} \setminus \{0\}, b \in \mathbb{R}, c \in \mathbb{R}) \qquad (*)$$

Determine the number of solutions that a quadratic equation can have, i.e. try to find out the different possible cases of the number of solutions.

Hints

- Remember our discussion about the possible number of solutions of a linear equation.
- Compare the left hand side of the quadratic equation (\*) with the general form of the equation of a quadratic function.
- Think of the graph of a quadratic function.
- 7.2 Solve the quadratic equations below using ...
  - i) ... the method of completing the square.
  - ii) ... the quadratic formula.

State the solution set for each equation.

a) 
$$x^2 + 10x + 24 = 0$$

b) 
$$2x^2 - 7x + 3 = 0$$

c) 
$$x^2 + 2x + 8 = 0$$

d) 
$$x^2 - 14x + 49 = 0$$

7.3 Solve the quadratic equations below using the quadratic formula. State the solution set for each equation.

a) 
$$x^2 + 22x + 121 = 0$$

b) 
$$5x^2 + 8x - 4 = 0$$

c) 
$$5x^2 - 8x + 4 = 0$$

d) 
$$24x^2 - 65x + 44 = 0$$

e) 
$$\frac{1}{6}x^2 - \frac{5}{4}x + \frac{3}{2} = 0$$

f) 
$$-9x^2 - 54x - 63 = 0$$

7.4 Solve the equations below. State the solution set for each equation.

a) 
$$9(x-10) - x(x-15) = x$$

$$3(x^2+2) - x(x+9) = 11$$

c) 
$$v^3 + 19 = (v + 4)^3$$

d) 
$$\frac{9x-8}{4x+7} = \frac{3x}{2x+5}$$

e) 
$$\frac{x^2}{x-6} - \frac{6x}{6-x} = 1$$

f) 
$$\frac{8}{x^2-4} + \frac{2}{2-x} = 3x - 1$$

## Tourism, Mathematics, Thomas Borer

7.5 Solve the quadratic equations below without using the quadratic formula. State the solution set for each equation.

a) 
$$(x+2)(x+5)=0$$

b) 
$$(x-8)(5x-9)=0$$

c) 
$$x^2 - 3x = 0$$

d) 
$$x^2 + 7x = 0$$

e) 
$$4x^2 - 9 = 0$$

f) 
$$100x^2 - 1 = 0$$

g) 
$$3x^2 = 27$$

h) 
$$x^2 = x$$

7.6 Solve the equations below. State the solution set for each equation.

a) 
$$(7+x)(7-x) = (3x+2)^2 - (2x+3)^2$$

$$(x-3)(2x-7)=1$$

c) 
$$\frac{x-4}{y-5} = \frac{30-x^2}{y^2-5y}$$

d) 
$$\frac{x^2 - x - 2}{2 - x} = 1$$

e) 
$$\frac{x^2-4}{x^2-4}=0$$

f) 
$$\frac{x^2-4}{x^2-4}=1$$

7.7 The quadratic equations below contain a parameter p. Therefore, the solution set of the equations will depend on the value of this parameter.

Solve the equations for x.

a) 
$$x^2 + x + p = 0$$

b) 
$$3x^2 + px - p = 0$$

7.8 A parabola has the vertex V and contains the point P.

Determine the equation of the corresponding quadratic function both in the vertex and in the general form.

- V(2|4)a)
- b) V(1|-8)P(2|-7)

7.9 A parabola contains the three points P, Q, and R.

Determine the equation of the corresponding quadratic function in the general form.

- a) P(-4|8)
- Q(0|0)

P(-1|7)

R(10|15)

- b) P(1|-1)
- Q(2|4)
- R(4|8)

7.10 Find the equilibrium quantity and equilibrium price of a service for the given supply and demand functions f<sub>s</sub> and  $f_d$ :

a) supply

$$p = f_s(q) = (\frac{1}{4}q^2 + 10) CHF$$

demand

$$p = f_s(q) = (\frac{1}{4}q^2 + 10) \text{ CHF}$$
  
 $p = f_d(q) = (86 - 6q - 3q^2) \text{ CHF}$ 

b) supply

$$p = f_s(q) = (q^2 + 8q + 16) \text{ CHF}$$

demand

$$p = f_d(q) = (-3q^2 + 6q + 436) \text{ CHF}$$

7.11 The total costs C(x) for producing x items and the revenues R(x) for selling x items are given by

$$C(x) = (2000 + 40x + x^2) CHF$$

$$R(x) = 130x CHF$$

Find the break-even values of x.

7.12	The total	costs C(x)	for producing	x items and	the revenues	R(x)	for selling	x items	are given l	οy

$$C(x) = (x^2 + 100x + 80)$$
 CHF

$$R(x) = (160x - 2x^2) CHF$$

How many items are to be produced and sold in order to achieve a profit of 200 CHF?

7.13	Decide which statements are true or false. Put a mark into the corresponding box
	In each problem a) to c), exactly one statement is true.

a)	A quadratic equation				
		has no solution whenever the vertex of the graph of the corresponding quadratic function is below the x-axis.			
		always has one or two solutions.			
		has exactly one solution if the vertex of the graph of the corresponding quadratic function is on the x-axis.			
		can have infinitely many solutions.			
b)	The gra	ph of a quadratic function			
		is uniquely defined whenever the vertex and one further point of the graph are known is a straight line if the corresponding quadratic equation has exactly one solution is a quadratic equation.			
		can be determined by solving a quadratic equation.			
c)	If the to	otal cost function is quadratic and the total revenue function is linear			
		<ul><li> there is always exactly one break-even point.</li><li> a break-even point corresponds to a solution of a quadratic equation.</li><li> no profit can be realised whenever the linear function has a positive slope.</li></ul>			
		the vertex of the graph of the cost function cannot be below the x-axis.			

4/5

### **Answers**

7.1 ...

7.2 a) 
$$S = \{-6, -4\}$$

b) 
$$S = \{\frac{1}{2}, 3\}$$

c) 
$$S = \{ \}$$

d) 
$$S = \{7\}$$

7.3 a) 
$$S = \{-11\}$$

b) 
$$S = \left\{-2, \frac{2}{5}\right\}$$

c) 
$$S = \{ \}$$

d) 
$$S = \left\{ \frac{4}{3}, \frac{11}{8} \right\}$$

e) 
$$S = \left\{ \frac{3}{2}, 6 \right\}$$

f) 
$$S = \{-3 - \sqrt{2}, -3 + \sqrt{2}\}$$

7.4 a) 
$$S = \{5, 18\}$$

b) 
$$S = \left\{5, -\frac{1}{2}\right\}$$

c) 
$$S = \left\{-\frac{3}{2}, -\frac{5}{2}\right\}$$

d) 
$$S = \left\{2, -\frac{10}{3}\right\}$$

e) 
$$S = \{-2, -3\}$$

f) 
$$S = \left\{-\frac{5}{3}, 0\right\}$$

7.5 a) 
$$S = \{-5, -2\}$$

b) 
$$S = \left\{ \frac{9}{5}, 8 \right\}$$

c) 
$$S = \{0, 3\}$$

d) 
$$S = \{-7, 0\}$$

e) 
$$S = \left\{-\frac{3}{2}, \frac{3}{2}\right\}$$

f) 
$$S = \left\{-\frac{1}{10}, \frac{1}{10}\right\}$$

g) 
$$S = \{-3, 3\}$$

h) 
$$S = \{0, 1\}$$

7.6 a) 
$$S = \{-3, 3\}$$

b) 
$$S = \left\{ \frac{5}{2}, 4 \right\}$$

c) 
$$S = \{-3\}$$

d) 
$$S = \{-2\}$$

e) 
$$S = \{ \}$$

$$f) S = \mathbb{R} \setminus \{-2, 2\}$$

7.7 a) if 
$$p < \frac{1}{4}$$
: 2 solutions  $x_{1,2} = \frac{-1 \pm \sqrt{1-4p}}{2}$  if  $p = \frac{1}{4}$ : 1 solution  $x = -\frac{1}{2}$  if  $p > \frac{1}{4}$ : no solution  $S = \{ \}$ 

Hints:

- Use the quadratic formula.
- The number of solutions (2 solutions, 1 solution, no solution) of the quadratic equation will depend on whether the term under the square root is positive, negative, or equal to zero.

b) if 
$$p < -12$$
: 2 solutions  $x_{1,2} = \frac{-p \pm \sqrt{p^2 + 12p}}{6}$   
if  $p = -12$ : 1 solution  $x = 2$   
if  $-12 : no solution  $S = \{ \}$   
if  $p = 0$ : 1 solution  $x = 0$   
if  $p > 0$ : 2 solutions  $x_{1,2} = \frac{-p \pm \sqrt{p^2 + 12p}}{6}$$ 

7.8 a)  $y = f(x) = \frac{1}{3}(x-2)^2 + 4 = \frac{1}{3}x^2 - \frac{4}{3}x + \frac{16}{3}$ 

Hints:

- Start with the vertex form of the equation of a quadratic function.
- That equation contains three unknown parameters.
- Two parameters in the equation are the coordinates of the vertex V.
- P is a point of the graph of the quadratic function. Therefore, the coordinates of P must fulfil the equation of the quadratic function. This yields an equation which contains the remaining unknown parameter.

b) 
$$y = f(x) = (x - 1)^2 - 8 = x^2 - 2x - 7$$

7.9 a) 
$$y = f(x) = \frac{1}{4}x^2 - x$$

Hints

- Start with the general form of the equation of a quadratic function.
- That equation contains three unknown parameters.
- P, Q, and R are points of the graph of the quadratic function. Therefore, the coordinates of P, Q, and R must fulfil the equation of the quadratic function. This yields a system of three equations in the unknown three parameters.

b) 
$$y = f(x) = -x^2 + 8x - 8$$

7.10 a) at market equilibrium: q = 4, p = 14

Hint:

- The supply and demand functions have the same values at market equilibrium.
- b) at market equilibrium: q = 10, p = 196

7.11 
$$x_1 = 40, x_2 = 50$$

Hint:

- The cost and revenue functions have the same values at the break-even points.

7.12 profit 
$$P(x) = R(x) - C(x) = (-3x^2 + 60x - 80)$$
 CHF = 200 CHF  
 $\Rightarrow$  S = {7.41..., 12.58...}

Rounding to a whole number of articles

$$P(7) = 193 \text{ CHF}$$
  
 $P(8) = 208 \text{ CHF}$   
 $P(12) = 208 \text{ CHF}$   
 $P(13) = 193 \text{ CHF}$ 

Whether to round up or down depends on whether the profit should be as close to 200 CHF as possible or at least 200 CHF.

- 7.13 a) 3<sup>rd</sup> statement
  - b) 1<sup>st</sup> statement
  - c) 2<sup>nd</sup> statement