

## Exercises 7      Quadratic function and equations Quadratic function/equations, supply, demand, market equilibrium

### Objectives

- know and understand the relation between a quadratic function and a quadratic equation.
- be able to solve a quadratic equation with the method of completing the square.
- be able to solve a quadratic equation by applying the quadratic formula.
- be able to solve special quadratic equations without applying the quadratic formula.
- be able to solve a quadratic equation containing a parameter.
- be able to determine the vertex form of the equation of a quadratic function out of the coordinates of the vertex and the coordinates of another point of the corresponding parabola.
- be able to determine the general form of the equation of a quadratic function out of the coordinates of three points of the corresponding parabola.
- be able to treat applied tasks in economics by means of quadratic equations or systems of quadratic equations.

### Problems

7.1 Each quadratic equation can be converted into the following general form:

$$ax^2 + bx + c = 0 \quad (a \in \mathbb{R} \setminus \{0\}, b \in \mathbb{R}, c \in \mathbb{R}) \quad (*)$$

Determine the number of solutions that a quadratic equation can have, i.e. try to find out the different possible cases of the number of solutions.

Hints:

- Remember our discussion about the possible number of solutions of a linear equation.
- Compare the left hand side of the quadratic equation (\*) with the general form of the equation of a quadratic function.
- Think of the graph of a quadratic function.

7.2 Solve the quadratic equations below using ...

- i) ... the method of completing the square.
- ii) ... the quadratic formula.

State the solution set for each equation.

- |                         |                         |
|-------------------------|-------------------------|
| a) $x^2 + 10x + 24 = 0$ | b) $2x^2 - 7x + 3 = 0$  |
| c) $x^2 + 2x + 8 = 0$   | d) $x^2 - 14x + 49 = 0$ |

7.3 Solve the quadratic equations below using the quadratic formula. State the solution set for each equation.

- |  |                           |
|--|---------------------------|
| a) $x^2 + 22x + 121 = 0$                             | b) $5x^2 + 8x - 4 = 0$    |
| c) $5x^2 - 8x + 4 = 0$                               | d) $24x^2 - 65x + 44 = 0$ |
| e) $\frac{1}{6}x^2 - \frac{5}{4}x + \frac{3}{2} = 0$ | f) $-9x^2 - 54x - 63 = 0$ |

7.4 Solve the equations below. State the solution set for each equation.

- |   |   |
|---|---|
| a) $9(x - 10) - x(x - 15) = x$                | b) $3(x^2 + 2) - x(x + 9) = 11$                   |
| c) $y^3 + 19 = (y + 4)^3$                     | d) $\frac{9x - 8}{4x + 7} = \frac{3x}{2x + 5}$    |
| e) $\frac{x^2}{x - 6} - \frac{6x}{6 - x} = 1$ | f) $\frac{8}{x^2 - 4} + \frac{2}{2 - x} = 3x - 1$ |

7.5 Solve the quadratic equations below without using the quadratic formula.  
 State the solution set for each equation.

- |    |                      |    |                       |
|----|----------------------|----|-----------------------|
| a) | $(x + 2)(x + 5) = 0$ | b) | $(x - 8)(5x - 9) = 0$ |
| c) | $x^2 - 3x = 0$       | d) | $x^2 + 7x = 0$        |
| e) | $4x^2 - 9 = 0$       | f) | $100x^2 - 1 = 0$      |
| g) | $3x^2 = 27$          | h) | $x^2 = x$             |

7.6 Solve the equations below. State the solution set for each equation.

- |    |  |    |                           |
|----|--|----|---------------------------|
| a) | $(7 + x)(7 - x) = (3x + 2)^2 - (2x + 3)^2$ | b) | $(x - 3)(2x - 7) = 1$     |
| c) | $\frac{x-4}{x-5} = \frac{30-x^2}{x^2-5x}$  | d) | $\frac{x^2-x-2}{2-x} = 1$ |
| e) | $\frac{x^2-4}{x^2-4} = 0$                  | f) | $\frac{x^2-4}{x^2-4} = 1$ |

7.7 The quadratic equations below contain a parameter  $p$ . Therefore, the solution set of the equations will depend on the value of this parameter.

Solve the equations for  $x$ .

- |    |                   |    |                     |
|----|-------------------|----|---------------------|
| a) | $x^2 + x + p = 0$ | b) | $3x^2 + px - p = 0$ |
|----|-------------------|----|---------------------|

7.8 A parabola has the vertex  $V$  and contains the point  $P$ .

Determine the equation of the corresponding quadratic function both in the vertex and in the general form.

- |    |           |           |
|----|-----------|-----------|
| a) | $V(2 4)$  | $P(-1 7)$ |
| b) | $V(1 -8)$ | $P(2 -7)$ |

7.9 A parabola contains the three points  $P$ ,  $Q$ , and  $R$ .

Determine the equation of the corresponding quadratic function in the general form.

- |    |           |          |            |
|----|-----------|----------|------------|
| a) | $P(-4 8)$ | $Q(0 0)$ | $R(10 15)$ |
| b) | $P(1 -1)$ | $Q(2 4)$ | $R(4 8)$   |

7.10 Find the equilibrium quantity and equilibrium price of a service for the given supply and demand functions  $f_s$  and  $f_d$ :

- |    |        |   |
|----|--------|---|
| a) | supply | $p = f_s(q) = \left(\frac{1}{4}q^2 + 10\right)$ CHF |
|    | demand | $p = f_d(q) = (86 - 6q - 3q^2)$ CHF                 |
| b) | supply | $p = f_s(q) = (q^2 + 8q + 16)$ CHF                  |
|    | demand | $p = f_d(q) = (-3q^2 + 6q + 436)$ CHF               |

7.11 The total costs  $C(x)$  for producing  $x$  items and the revenues  $R(x)$  for selling  $x$  items are given by

$$C(x) = (2000 + 40x + x^2) \text{ CHF}$$

$$R(x) = 130x \text{ CHF}$$

Find the break-even values of  $x$ .

7.12 The total costs  $C(x)$  for producing  $x$  items and the revenues  $R(x)$  for selling  $x$  items are given by

$$C(x) = (x^2 + 100x + 80) \text{ CHF}$$

$$R(x) = (160x - 2x^2) \text{ CHF}$$

How many items are to be produced and sold in order to achieve a profit of 200 CHF?

7.13 Decide which statements are true or false. Put a mark into the corresponding box.  
In each problem a) to c), exactly one statement is true.

a) A quadratic equation ...

... has no solution whenever the vertex of the graph of the corresponding quadratic function is below the x-axis.

... always has one or two solutions.

... has exactly one solution if the vertex of the graph of the corresponding quadratic function is on the x-axis.

... can have infinitely many solutions.

b) The graph of a quadratic function ...

... is uniquely defined whenever the vertex and one further point of the graph are known.

... is a straight line if the corresponding quadratic equation has exactly one solution.

... is a quadratic equation.

... can be determined by solving a quadratic equation.

c) If the total cost function is quadratic and the total revenue function is linear ...

... there is always exactly one break-even point.

... a break-even point corresponds to a solution of a quadratic equation.

... no profit can be realised whenever the linear function has a positive slope.

... the vertex of the graph of the cost function cannot be below the x-axis.