

Exercises 3 Linear function and equations

Linear function, simple interest, cost, revenue, profit, break-even

Objectives

- be able to think of a relation between two quantities as a function.
- be able to determine the domain, the codomain, the range of a given function.
- be able to draw the graph of a given linear function.
- be able to determine slope and intercept of a linear function.
- know some examples of linear functions in economic and everyday life applications.
- know and understand what simple interest is.
- be able to perform simple interest calculation.
- know and understand what fixed costs, variable costs, total costs, total revenue, total profit, and break-even value are.
- be able to apply the concept of linear functions to a new problem.

Problems

3.1 A taxi driver charges the following fare:

8.00 CHF plus 1.50 CHF per kilometre

Think of the taxi fare as a function f .

- Determine the domain D , the codomain C , and the range R of the function.
- Draw the graph of the function f .

3.2 The taxi fare as described in problem 3.1 can be thought of as a linear function which assigns a fare to each distance:

$$\begin{aligned} f: \mathbb{R}^+ &\rightarrow \mathbb{R}^+ \\ x &\mapsto y = f(x) = ax + b \end{aligned}$$

where: x = distance/km
 y = fare/CHF

Determine the values of a and b .

3.3 Find at least two more examples of linear functions in economics or in an everyday life context.

3.4 State both slope and intercept of the linear functions below, and draw the graphs of the functions:

- $f: \mathbb{R} \rightarrow \mathbb{R}$
 $x \mapsto y = f(x) = -2$
- $f: \mathbb{R} \rightarrow \mathbb{R}$
 $x \mapsto y = f(x) = 2x - 6$
- $f: \mathbb{R} \rightarrow \mathbb{R}$
 $x \mapsto y = f(x) = -x + 3$

3.5 Simple interest at an annual rate of 0.5% is paid on an initial bank balance of 5000 CHF.

- Determine the interest that is paid each year.
- Determine the balance after ten years' time.
- Determine both slope and intercept of the corresponding linear function.

- 3.6 In general, if an initial capital C_0 pays simple interest at an annual rate r (e.g. $r = 1.5\% = 0.015$), the capital C_n after n years is given by the formula below (see [formulary](#)):

$$C_n = C_0 (1 + nr)$$

- Verify that the given formula is correct.
- Determine both slope and intercept of the corresponding linear function.

- 3.7 An initial capital $C_0 = 1200$ CHF pays simple interest at an annual interest rate of 1.5%.

- Determine after how many years the capital will exceed 2000 CHF.
- Determine at what annual interest rate (rounded to 0.05%) the capital will exceed 2000 CHF after 20 years' time.

Hint:

- Use the formula given in problem 3.6 and solve it for n and r respectively.

- 3.8 A satellite phone company offers three different tariffs:

Tariff A:	monthly basic fee of 10 CHF plus 0.20 CHF per minute
Tariff B:	monthly basic fee of 25 CHF plus 0.10 CHF per minute
Tariff C:	no basic fee, 0.60 CHF per minute

Think of the the three tariffs as linear functions.

- Draw the graphs of the three functions in one common coordinate system.
- Determine the total fee for each tariff for a monthly phone call duration of 1 hour.
- Determine the monthly phone call duration where tariff A is cheaper than tariff C.
- Determine the monthly phone call duration where tariff B is cheaper than tariff A.

- 3.9 (from: Bittinger, Ellenbogen: Calculus and its applications, Pearson 2007, ISBN 0-321-48543-2)

EXAMPLE 9 Business: Total Cost. Raggs, Ltd., a clothing firm, has **fixed costs** of \$10,000 per year. These costs, such as rent, maintenance, and so on, must be paid no matter how much the company produces. To produce x units of a certain kind of suit, it costs \$20 per suit (unit) in addition to the fixed costs. That is, the **variable costs** for producing x of these suits are $20x$ dollars. These costs are due to the amount produced and stem from items such as material, wages, fuel, and so on. The **total cost** $C(x)$ of producing x suits in a year is given by a function C :

$$C(x) = (\text{Variable costs}) + (\text{Fixed costs}) = 20x + 10,000.$$

- Graph the variable-cost, the fixed-cost, and the total-cost functions.
- What is the total cost of producing 100 suits? 400 suits?

- 3.10 (see next page)

3.10 (from: Bittinger, Ellenbogen: Calculus and its applications, Pearson 2007, ISBN 0-321-48543-2)

EXAMPLE 10 Business: Profit-and-Loss Analysis. When a business sells an item, it receives the *price* paid by the consumer (this is normally greater than the *cost* to the business of producing the item).

- a) The **total revenue** that a business receives is the product of the number of items sold and the price paid per item. Thus, if Raggs, Ltd., sells x suits at \$80 per suit, the total revenue $R(x)$, in dollars, is given by

$$R(x) = \text{Unit price} \cdot \text{Quantity sold} = 80x.$$

If $C(x) = 20x + 10,000$ (see Example 9), graph R and C using the same set of axes.

- b) The **total profit** that a business receives is the amount left after all costs have been subtracted from the total revenue. Thus, if $P(x)$ represents the total profit when x items are produced and sold, we have

$$P(x) = (\text{Total revenue}) - (\text{Total costs}) = R(x) - C(x).$$

Determine $P(x)$ and draw its graph using the same set of axes as was used for the graph in part (a).

- c) The company will *break even* at that value of x for which $P(x) = 0$ (that is, no profit and no loss). This is the point at which $R(x) = C(x)$. Find the **break-even value** of x .

3.11 Decide which statements are true or false. Put a mark into the corresponding box. In each problem a) to c), exactly one statement is true.

- a) ☐ Each straight line in a coordinate system can be considered as the graph of a linear function.
☐ The graph of each linear function is a straight line.
☐ If y is proportional to x , x is not necessarily proportional to y .
☐ The range of each linear function is $\mathbb{R}$.
- b) f cannot be a linear function if ...
☐ ... the graph of f is a straight line.
☐ ... $f(x) \neq x$ for at least one element x of the domain of f .
☐ ... the domain of f does not consist of all real numbers.
☐ ... $f(x) = ax + b$ and a depends on x .
- c) In a simple interest scheme ...
☐ ... the relation between time and capital does not correspond to a linear function.
☐ ... the interest paid at the end of each period depends on the capital at the end of the previous period.
☐ ... the interest paid at the end of each period is always the same amount of money.
☐ ... the capital doubles in less than 5 years if the annual interest rate is 20%.