

Exercises 8 Quadratic function and equations Quadratic function/equations, supply, demand, market equilibrium

Objectives

- know and understand the relation between a quadratic function and a quadratic equation.
- be able to solve a quadratic equation with the method of completing the square.
- be able to solve a quadratic equation by applying the quadratic formula.
- be able to solve special quadratic equations without applying the quadratic formula.
- be able to solve a quadratic equation containing a parameter.
- be able to determine the vertex form of the equation of a quadratic function out of the coordinates of the vertex and the coordinates of another point of the corresponding parabola.
- be able to determine the general form of the equation of a quadratic function out of the coordinates of three points of the corresponding parabola.
- be able to treat applied tasks in economics by means of quadratic equations or systems of quadratic equations.

Problems

8.1 Each quadratic equation can be converted into the following general form:

$$ax^2 + bx + c = 0 \quad (a \in \mathbb{R} \setminus \{0\}, b \in \mathbb{R}, c \in \mathbb{R}) \quad (*)$$

Determine the number of solutions that a quadratic equation can have, i.e. try to find out the different possible cases of the number of solutions.

Hints:

- Remember our discussion about the possible number of solutions of a linear equation.
- Compare the left hand side of the quadratic equation (*) with the general form of the equation of a quadratic function.
- Think of the graph of a quadratic function.

8.2 Solve the quadratic equations below using ...

- i) ... the method of completing the square.
- ii) ... the quadratic formula.

State the solution set for each equation.

- | | |
|-------------------------|-------------------------|
| a) $x^2 + 10x + 24 = 0$ | b) $2x^2 - 7x + 3 = 0$ |
| c) $x^2 + 2x + 8 = 0$ | d) $x^2 - 14x + 49 = 0$ |

8.3 Solve the quadratic equations below using the quadratic formula. State the solution set for each equation.

- | | |
|--|---------------------------|
| a) $x^2 + 22x + 121 = 0$ | b) $5x^2 + 8x - 4 = 0$ |
| c) $5x^2 - 8x + 4 = 0$ | d) $24x^2 - 65x + 44 = 0$ |
| e) $\frac{1}{6}x^2 - \frac{5}{4}x + \frac{3}{2} = 0$ | f) $-9x^2 - 54x - 63 = 0$ |

8.4 Solve the equations below. State the solution set for each equation.

- | | |
|---|---|
| a) $9(x - 10) - x(x - 15) = x$ | b) $3(x^2 + 2) - x(x + 9) = 11$ |
| c) $y^3 + 19 = (y + 4)^3$ | d) $\frac{9x - 8}{4x + 7} = \frac{3x}{2x + 5}$ |
| e) $\frac{x^2}{x - 6} - \frac{6x}{6 - x} = 1$ | f) $\frac{8}{x^2 - 4} + \frac{2}{2 - x} = 3x - 1$ |

8.5 Solve the quadratic equations below without using the quadratic formula.
State the solution set for each equation.

- | | | | |
|----|------------------------|----|-----------------------|
| a) | $(x + 2)(x + 5) = 0$ | b) | $(x - 8)(5x - 9) = 0$ |
| c) | $x^2 - 3x = 0$ | d) | $x^2 + 7x = 0$ |
| e) | $4x^2 - 9 = 0$ | f) | $100x^2 - 1 = 0$ |
| g) | $(3x - 2)(4x + 1) = 0$ | h) | $4x^2 + 5x = 0$ |
| i) | $3x^2 = 27$ | j) | $x^2 = x$ |

8.6 Solve the equations below. State the solution set for each equation.

- | | | | |
|----|--|----|---------------------------|
| a) | $(7 + x)(7 - x) = (3x + 2)^2 - (2x + 3)^2$ | b) | $(x - 3)(2x - 7) = 1$ |
| c) | $\frac{x-4}{x-5} = \frac{30-x^2}{x^2-5x}$ | d) | $\frac{x^2-x-2}{2-x} = 1$ |
| e) | $\frac{x^2-4}{x^2-4} = 0$ | f) | $\frac{x^2-4}{x^2-4} = 1$ |

8.7 The quadratic equations below contain a parameter p. Therefore, the solution set of the equations will depend on the value of this parameter.

Determine the value(s) of the parameter p, such that the quadratic equation has exactly one solution.
State that solution:

- | | | | |
|----|---------------------|----|-------------------------------|
| a) | $2x^2 = 3x - p$ | b) | $x^2 + px + p = -3$ |
| c) | $3x^2 + px - p = 0$ | d) | $px^2 + \frac{p}{2}x - 1 = 0$ |

8.8 Solve the following equations for x. Take into account that the parameter p can have any real value.

- | | | | |
|------|--|----|------------------|
| a) | $x^2 + x + p = 0$ | b) | $-px = 1 + 4x^2$ |
| c) * | $-\frac{1}{(1+x)^2} + \frac{1}{(p-x)^2} = 0$ | | |

8.9 A parabola has the vertex V and contains the point P.

Determine the equation of the corresponding quadratic function both in the vertex and in the general form.

- | | | |
|----|---------|---------|
| a) | V(2 4) | P(-1 7) |
| b) | V(1 -8) | P(2 -7) |

8.10 A parabola contains the three points P, Q, and R.

Determine the equation of the corresponding quadratic function in the general form.

- | | | | |
|----|---------|--------|----------|
| a) | P(-4 8) | Q(0 0) | R(10 15) |
| b) | P(1 -1) | Q(2 4) | R(4 8) |

8.11 Find the equilibrium quantity and equilibrium price of a commodity for the given supply and demand functions f_s and f_d :

- | | | |
|----|--------|------------------------------------|
| a) | supply | $p = f_s(q) = \frac{1}{4}q^2 + 10$ |
| | demand | $p = f_d(q) = 86 - 6q - 3q^2$ |

b) supply $p = f_s(q) = q^2 + 8q + 16$
 demand $p = f_d(q) = -3q^2 + 6q + 436$

8.12 The total costs and the total revenues for a company are given by

$$C(x) = 2000 + 40x + x^2$$
$$R(x) = 130x$$

Find the break-even points.

8.13 The costs $C(x)$ for producing x items and the revenue $R(x)$ for selling x items are given below.
How many items are to be produced and sold in order to achieve a profit of 200 CHF?

$$C(x) = (x^2 + 100x + 80) \text{ CHF}$$
$$R(x) = (160x - 2x^2) \text{ CHF}$$

Answers

8.1 ...

- 8.2 a) $S = \{-6, -4\}$
 b) $S = \left\{\frac{1}{2}, 3\right\}$
 c) $S = \{ \}$
 d) $S = \{7\}$

- 8.3 a) $S = \{-11\}$
 b) $S = \left\{-2, \frac{2}{5}\right\}$
 c) $S = \{ \}$
 d) $S = \left\{\frac{4}{3}, \frac{11}{8}\right\}$
 e) $S = \left\{\frac{3}{2}, 6\right\}$
 f) $S = \{-3 - \sqrt{2}, -3 + \sqrt{2}\}$

- 8.4 a) $S = \{5, 18\}$
 b) $S = \{5, -1/2\}$
 c) $S = \{-3/2, -5/2\}$
 d) $S = \{2, -10/3\}$
 e) $S = \{-2, -3\}$
 f) $S = \left\{-\frac{5}{3}, 0\right\}$

- | | |
|-------------------------|--------------------------|
| 8.5 a) $S = \{-5, -2\}$ | b) $S = \{9/5, 8\}$ |
| c) $S = \{0, 3\}$ | d) $S = \{-7, 0\}$ |
| e) $S = \{-3/2, 3/2\}$ | f) $S = \{-1/10, 1/10\}$ |
| g) $S = \{-1/4, 2/3\}$ | h) $S = \{-5/4, 0\}$ |
| i) $S = \{-3, 3\}$ | j) $S = \{0, 1\}$ |

- | | |
|------------------------|---|
| 8.6 a) $S = \{-3, 3\}$ | b) $S = \{5/2, 4\}$ |
| c) $S = \{-3\}$ | d) $S = \{-2\}$ |
| e) $S = \{ \}$ | f) $S = \mathbb{R} \setminus \{-2, 2\}$ |

8.7 a) $p = \frac{9}{8} \quad \Rightarrow \quad x = \frac{3}{4}$

Hints:

- Solve the equation for x using the quadratic formula.
- The number of solutions will depend on whether the term under the square root is positive, negative or equal to zero.

- | | | |
|---------------|---------------|----------|
| b) $p_1 = -2$ | \Rightarrow | $x = 1$ |
| $p_2 = 6$ | \Rightarrow | $x = -3$ |
| c) $p_1 = 0$ | \Rightarrow | $x = 0$ |
| $p_2 = -12$ | \Rightarrow | $x = 2$ |

- d) $p = -16 \Rightarrow x = -\frac{1}{4}$
- 8.8 a) if $p < \frac{1}{4}$: 2 solutions $x_{1,2} = \frac{-1 \pm \sqrt{1-4b}}{2}$
 if $p = \frac{1}{4}$: 1 solution $x = -\frac{1}{2}$
 if $p > \frac{1}{4}$: no solution $S = \{ \}$
- b) if $|b| > 4$: 2 solutions $x_{1,2} = \frac{-b \pm \sqrt{b^2 - 16}}{8}$
 if $b = \pm 4$: 1 solution $x = -\frac{b}{8}$
 if $|b| < 4$: no solution $S = \{ \}$
- c) * if $p = -1$: infinitely many solutions $x \in \mathbb{R} \setminus \{-1\}$
 if $p \neq -1$: 1 solution $x = \frac{p-1}{2}$
- 8.9 a) $y = f(x) = \frac{1}{3}(x-2)^2 + 4 = \frac{1}{3}x^2 - \frac{4}{3}x + \frac{16}{3}$
 Hints:
 - Start with the vertex form of the equation of a quadratic function.
 - Two parameters of the vertex form are the coordinates of the vertex.
 - If P is a point of the graph of the quadratic function, its coordinates must fulfil the equation of the quadratic function. This yields an equation which contains the remaining unknown parameter.
- b) $y = f(x) = (x-1)^2 - 8 = x^2 - 2x - 7$
- 8.10 a) $y = f(x) = \frac{1}{4}x^2 - x$
 Hints:
 - Start with the general form of the equation of a quadratic function.
 - If P, Q, and R are points of the graph of the quadratic function, their coordinates must fulfil the equation of the quadratic function. This yields a system of three equations in the unknown three parameters.
- b) $y = f(x) = -x^2 + 8x - 8$
- 8.11 a) at market equilibrium: $q = 4, p = 14$
 Hint:
 - The supply and demand functions have the same values at market equilibrium.
- b) at market equilibrium: $q = 10, p = 196$
- 8.12 $x_1 = 40, x_2 = 50$
 Hint:
 - The cost and revenue functions have the same values at a break-even point.
- 8.13 profit $P(x) = R(x) - C(x) = -3x^2 + 60x - 80 = 200$
 $\Rightarrow S = \{7.41\dots, 12.58\dots\}$
 $\Rightarrow 7$ or 13 items