Exercises 9 Exponential function and equations Compound interest, exponential function

Objectives

- be able to calculate the future capital that is invested at an interest rate which is compounded annually.
- be able to treat compound interest tasks.
- be able to graph an exponential function out of its equation.
- be able to determine the equation of an exponential function out of the coordinates of two points of the graph.
- be able to treat applied tasks by means of an exponential function.

Problems

- 9.1 Compound interest at an annual rate r is paid on an initial capital C_0 .
 - a) Assume an initial capital $C_0 = 1000.00$ CHF, and an annual interest rate r = 2%. Determine the capital after one, two, three, four, and five years' time.
 - b) Try to develop a formula which allows you to calculate the capital C_n after n years' time for any values of C_0 , r, and n.
- 9.2 What is the future capital if 8000 CHF is invested for 10 years at 12% compounded annually?
- 9.3 What present value amounts to 10'000 CHF if it is invested for 10 years at 6% compounded annually?
- 9.4 At what interest rate, compounded annually, would 10'000 CHF have to be invested to amount to 14'071 CHF in 7 years?
- 9.5 Ms Smith wants to invest 150'000 CHF for five years. Bank A offers an interest rate of 6.5% compounded annually. Bank B offers to pay 200'000 CHF after five years. Which bank makes the better offer?
- 9.6 The purchase of Alaska cost the United States \$ 7 million in 1869. If this money had been placed in a savings account paying 6% compounded annually, how much money would be available from this investment in 2020?
- 9.7 Mary Stahley invested \$2500 in a 36-month certificate of deposit (CD) that earned 8.5% annual simple interest. When the CD matured, she invested the full amount in a mutual fund that had an annual growth equivalent to 18% compounded annually. How much was the mutual fund worth after 9 years?
- 9.8 A capital is invested for 4 years at 4% and for 3 more years at 6%, compounded annually. Eventually, the capital amounts to 72'000 CHF.
 - a) Determine the initial capital.
 - b) What is the average interest rate with respect to the whole period of time?
- 9.9 An unknown initial capital is invested at an unknown interest rate, compounded annually. After 2 years, the capital amounts to 5'891.74 CHF, and after another 5 years the capital is 6'997.54 CHF. Determine both initial capital and interest rate.

9.10 Look at the following exponential function:

f:
$$\mathbb{R} \to \mathbb{R}$$

 $x \to y = f(x) = 2^x$

- a) Establish a table of values of f for the interval $-3 \le x \le 3$.
- b) Draw the graph of f in the interval $-3 \le x \le 3$ into a Cartesian coordinate system.
- 9.11 Graph the following exponential functions into one coordinate system:

$$\begin{array}{ccc} f_1 \colon \: \mathbb{R} \to \: \mathbb{R} \\ x \: \to \: y = f_1(x) = 2^x \end{array}$$

$$f_2: \mathbb{R} \to \mathbb{R}$$

 $x \to y = f_2(x) = 0.2^x$

f₃:
$$\mathbb{R} \to \mathbb{R}$$

 $x \to y = f_3(x) = 3 \cdot 0.5^x$

$$f_4: \mathbb{R} \to \mathbb{R}$$

 $x \to y = f_4(x) = -2 \cdot 3^x$

- 9.12 The graph of an exponential function contains the points P and Q. Determine the equation of the exponential function.
 - a) P(0|1.02) Q(1|1.0302)
 - b) P(1|12) Q(3|192)
 - c) P(0|10'000) Q(5|777.6)
 - d) P(5|16) $Q(9|\frac{1}{16})$
- 9.13 A house that 20 years ago was worth \$160'000 has increased in value by 4% each year because of inflation. What is its worth today?
- 9.14 Suppose a country has a population of 20 million and projects a growth rate of 2% per year for the next 20 years. What will the population of this country be in 10 years?
- 9.15 A ball is dropped from a height of 12.8 meters. It rebounds 3/4 of the height from which it falls every time it hits the ground. How high will the ball bounce after it strikes the ground for the forth time?
- 9.16 A machine is valued at \$10'000. The depreciation at the end of each year is 20% of its value at the beginning of the year. Find its value at the end of 4 years.
- 9.17 The size of a certain bacteria culture grows exponentially. At 8 a.m. and 11 a.m. the number of bacteria was 2'300 and 18'400, respectively. Determine the number of bacteria at 1.30 p.m.
- 9.18 In a physical experiment the number of radioactive nuclei in a certain preparation decreases exponentially. 5 hours after the start of the experiment 1.56·10¹⁶ nuclei were counted. 3 hours later, the number has fallen to 3.05·10¹³. What was the number of nuclei at the beginning of the experiment?

- 9.19 A capital pays interest, compounded annually. What is the interest rate such that the capital doubles in 20 years?
- 9.20 * Suppose that the number y of otters t years after they were reintroduced into a wild and scenic river is given by

$$y = 2500 - 2490 \cdot e^{-0.1 \cdot t}$$

- a) Find the population when the otters were introduced.
- b) Draw the graph of the function f: $t \rightarrow y = f(t)$.
- c) What is the expected upper limit of the number of otters?
- 9.21 * The president of a company predicts that sales will increase after she assumes office and that the number of monthly sales will follow the curve given by

$$N = 3000 \cdot (0.2)^{0.6^{t}}$$

where t represents the months since she assumed office.

- a) What will be the sales when she assumes office?
- b) What will be the sales after 3 months?
- c) What is the expected upper limit on sales?
- 9.22 * The consumer price index (CPI) is calculated by averaging the prices of various items after assigning a weight to each item. The following table gives the consumer price indexes for selected years from 1940 through 2002:

I
0
1
6
8
4
7
2
9

- Find an equation that models these data, i.e. try to find the parameters a and c of the exponential function f: $x \to y = f(x) = c \cdot a^x$ (x = years after 1900, y = CPI) that fits the data.
- b) Use the model to predict the CPI in 2010.

Answers

9.1 a)
$$C_0 = 1000.00 \text{ CHF}$$
 $C_1 = 1020.00 \text{ CHF}$ $C_2 = 1040.40 \text{ CHF}$ $C_3 = 1061.21 \text{ CHF}$ $C_4 = 1082.43 \text{ CHF}$ $C_5 = 1104.08 \text{ CHF}$

b)
$$C_n = C_0 (1 + r)^n$$

9.2
$$C_{10} = 24'846.79 \text{ CHF}$$

9.3
$$C_0 = 5'583.95$$
 CHF

9.4
$$r = 5\%$$

9.5 Bank A:
$$C_5 = 205'513.00$$
 CHF
Bank B: $C_5 = 200'000.00$ CHF

9.6
$$C_{151} = $46'375$$
 million (rounded to millions)

9.7 \$13'916.24

2 periods: 3 years of simple interest, 9 years of compound interest

- 3 years of simple interest:

$$C_n = C_0(1 + nr)$$
 where $C_0 = 2500 , $n = 3$, $r = 8.5\% = 0.085$
 $\Rightarrow C_3 = 3137.50

- 9 years of compound interest:

$$C_n = C_0 q^n$$
 where $C_0 = ...$ (= C_3 after first 3 years), $q = 1 + 18\% = 1.18$, $n = 9$ $\Rightarrow C_9 = \$13'916.24$

9.8 a)
$$C_0 = 51'675 \text{ CHF}$$

Hints

- First, look at the second period (3 years, starting after 4 years from now), and calculate the capital at the beginning of this second period.
- Then, calculate the initial capital.

b)
$$r = 4.85\%$$

Hint:

- The average interest rate r must be such that

$$C_n = C_0 q^n$$
 where C_0 = initial capital, C_n = capital after the whole 7 years, $n = 7$, $q = 1 + r$

9.9
$$r = 3.5\%$$
, $C_0 = 5'500.00$ CHF

Hints:

- First, look at the second period of 5 years, where $C_0 = 5'891.74$ CHF and $C_5 = 6'997.54$ CHF
- The 5'891.74 CHF are the C_2 at the end of the first 2 years.

9.11 ...

9.12 a) $y = f(x) = 1.02 \cdot 1.01^x$

Hints:

- The equation of an exponential function is $y = f(x) = c \cdot a^x$
- If P(0|1.02) and Q(1|1.0302) are points of the graph of the exponential function, their coordinates must fulfil the equation of the exponential function, i.e. $1.02 = f(0) = c \cdot a^0$ and $1.302 = f(1) = c \cdot a^1$
- Solve the two equations for c and a.
- b) $y = f(x) = 3.4^x$
- c) $y = f(x) = 10'000 \cdot 0.6^x$
- d) $y = f(x) = 16'384 \cdot 0.25^x$

9.13 \$350'580 (rounded)

Hint

- The relation between time t and the value V of the house is an exponential function:

$$V = f(t) = V_0 \cdot a^t$$

where V = value after time t, V_0 = initial value (at t = 0) = \$160'000, a = growth factor = 1 + 4% = 1.04

- 9.14 24.4 million (rounded)
- 9.15 4.05 m

Hint:

- The relation between the number n of bounces and the hight h of the ball is an exponential function: $h = f(n) = h_0 \cdot a^n$

where h = hight after n bounces, $h_0 = initial hight = 12.8 m$, a = decay factor = 0.75

- 9.16 \$4'096
- 9.17 104'086
- 9.18 $5.10 \cdot 10^{20}$
- 9.19 $r = \sqrt[20]{2} 1 = 3.5\%$ (rounded)
- 9.20 * a) y = 10 for t = 0
 - b) ..
 - c) $y \rightarrow 2500 \text{ as } t \rightarrow \infty$
- 9.21 * a) N(0) = 600
 - b) N(3) = 2119
 - c) $N(t) \rightarrow 3000 \text{ as } t \rightarrow \infty$
- 9.22 * a) $y = f(x) = 2.58 \cdot 1.043^x$
 - b) y(110) = 264.79