

8.5 Solve the quadratic equations below without using the quadratic formula. State the solution set for each equation.

- | | | | |
|----|------------------------|----|-----------------------|
| a) | $(x + 2)(x + 5) = 0$ | b) | $(x - 8)(5x - 9) = 0$ |
| c) | $x^2 - 3x = 0$ | d) | $x^2 + 7x = 0$ |
| e) | $4x^2 - 9 = 0$ | f) | $100x^2 - 1 = 0$ |
| g) | $(3x - 2)(4x + 1) = 0$ | h) | $4x^2 + 5x = 0$ |
| i) | $3x^2 = 27$ | j) | $x^2 = x$ |

8.6 Solve the equations below. State the solution set for each equation.

- | | | | |
|----|--|----|---------------------------|
| a) | $(7 + x)(7 - x) = (3x + 2)^2 - (2x + 3)^2$ | b) | $(x - 3)(2x - 7) = 1$ |
| c) | $\frac{x-4}{x-5} = \frac{30-x^2}{x^2-5x}$ | d) | $\frac{x^2-x-2}{2-x} = 1$ |
| e) | $\frac{x^2-4}{x^2-4} = 0$ | f) | $\frac{x^2-4}{x^2-4} = 1$ |

8.7 The quadratic equations below contain a parameter p. Therefore, the solution set of the equations will depend on the value of this parameter.

Determine the value(s) of the parameter p, such that the quadratic equation has exactly one solution. State that solution:

- | | | | |
|----|---------------------|----|-------------------------------|
| a) | $2x^2 = 3x - p$ | b) | $x^2 + px + p = -3$ |
| c) | $3x^2 + px - p = 0$ | d) | $px^2 + \frac{p}{2}x - 1 = 0$ |

8.8 Solve the following equations for x. Take into account that the parameter p can have any real value.

- | | | | |
|------|--|----|------------------|
| a) | $x^2 + x + p = 0$ | b) | $-px = 1 + 4x^2$ |
| c) * | $-\frac{1}{(1+x)^2} + \frac{1}{(p-x)^2} = 0$ | | |

8.9 A parabola has the vertex V and contains the point P.

Determine the equation of the corresponding quadratic function both in the vertex and in the general form.

- | | | |
|----|---------|---------|
| a) | V(2 4) | P(-1 7) |
| b) | V(1 -8) | P(2 -7) |

8.10 A parabola contains the three points P, Q, and R.

Determine the equation of the corresponding quadratic function in the general form.

- | | | | |
|----|---------|--------|----------|
| a) | P(-4 8) | Q(0 0) | R(10 15) |
| b) | P(1 -1) | Q(2 4) | R(4 8) |

8.11 Find the equilibrium quantity and equilibrium price of a commodity for the given supply and demand functions f_s and f_d :

- | | | |
|----|--------|------------------------------------|
| a) | supply | $p = f_s(q) = \frac{1}{4}q^2 + 10$ |
| | demand | $p = f_d(q) = 86 - 6q - 3q^2$ |

b) supply $p = f_s(q) = q^2 + 8q + 16$
 demand $p = f_d(q) = -3q^2 + 6q + 436$

8.12 The total costs and the total revenues for a company are given by

$$C(x) = 2000 + 40x + x^2$$
$$R(x) = 130x$$

Find the break-even points.

8.13 The costs $C(x)$ for producing x items and the revenue $R(x)$ for selling x items are given below.
How many items are to be produced and sold in order to achieve a profit of 200 CHF?

$$C(x) = (x^2 + 100x + 80) \text{ CHF}$$
$$R(x) = (160x - 2x^2) \text{ CHF}$$

8.14 Decide which statements are true or false. Put a mark into the corresponding box.
In each problem a) to c), exactly one statement is true.

a) A quadratic equation ...

- ... has no solution if the vertex of the graph of the corresponding quadratic function is below the x-axis.
- ... always has one or two solutions.
- ... has exactly one solution if the vertex of the graph of the corresponding quadratic function is on the x-axis.
- ... can have infinitely many solutions.

b) The graph of a quadratic function ...

- ... is unique whenever the vertex and one further point of the graph are known.
- ... is a straight line if the corresponding quadratic equation has exactly one solution.
- ... is a quadratic equation.
- ... can be determined by solving a quadratic equation.

c) If the total cost function is quadratic and the total revenue function is linear ...

- ... there is always exactly one break-even point.
- ... a break-even point corresponds to a solution of a quadratic equation.
- ... no profit can be realised whenever the linear function has a positive slope.
- ... the vertex of the graph of the cost function cannot be below the x-axis.

- 8.8 a) if $p < \frac{1}{4}$: 2 solutions $x_{1,2} = \frac{-1 \pm \sqrt{1-4p}}{2}$
 if $p = \frac{1}{4}$: 1 solution $x = -\frac{1}{2}$
 if $p > \frac{1}{4}$: no solution $S = \{ \}$
- b) if $|p| > 4$: 2 solutions $x_{1,2} = \frac{-p \pm \sqrt{p^2-16}}{8}$
 if $p = \pm 4$: 1 solution $x = -\frac{p}{8}$
 if $|p| < 4$: no solution $S = \{ \}$
- c) * if $p = -1$: infinitely many solutions $x \in \mathbb{R} \setminus \{-1\}$
 if $p \neq -1$: 1 solution $x = \frac{p-1}{2}$

8.9 a) $y = f(x) = \frac{1}{3}(x-2)^2 + 4 = \frac{1}{3}x^2 - \frac{4}{3}x + \frac{16}{3}$

Hints:

- Start with the vertex form of the equation of a quadratic function.
- Two parameters of the vertex form are the coordinates of the vertex.
- If P is a point of the graph of the quadratic function, its coordinates must fulfil the equation of the quadratic function. This yields an equation which contains the remaining unknown parameter.

b) $y = f(x) = (x-1)^2 - 8 = x^2 - 2x - 7$

8.10 a) $y = f(x) = \frac{1}{4}x^2 - x$

Hints:

- Start with the general form of the equation of a quadratic function.
- If P, Q, and R are points of the graph of the quadratic function, their coordinates must fulfil the equation of the quadratic function. This yields a system of three equations in the unknown three parameters.

b) $y = f(x) = -x^2 + 8x - 8$

8.11 a) at market equilibrium: $q = 4, p = 14$

Hint:

- The supply and demand functions have the same values at market equilibrium.

b) at market equilibrium: $q = 10, p = 196$

8.12 $x_1 = 40, x_2 = 50$

Hint:

- The cost and revenue functions have the same values at a break-even point.

8.13 profit $P(x) = R(x) - C(x) = -3x^2 + 60x - 80 = 200$

$\Rightarrow S = \{7.41\dots, 12.58\dots\}$

$\Rightarrow 7$ or 13 items

8.14 a) 3rd statement

b) 1st statement

c) 2nd statement