

## Exercises 7      Quadratic function and equations Quadratic function

### Objectives

- be able to graph a quadratic function out of the vertex form of its equation.
- be able to determine the position of the vertex of a parabola out of the vertex form of the equation of the corresponding quadratic function.
- be able to convert the vertex form of the equation of a quadratic function into the general form.
- know, understand, and be able to apply the method of completing the square.
- be able to convert the general form of the equation of a quadratic function into the vertex form.

### Problems

7.1 Look at the easiest possible quadratic function:

$$\begin{aligned} f: \mathbb{R} &\rightarrow \mathbb{R} \\ x &\mapsto y = f(x) = x^2 \end{aligned}$$

- Establish a table of values of  $f$  for the interval  $-4 \leq x \leq 4$ .
- Draw the graph of  $f$  in the interval  $-4 \leq x \leq 4$  into a Cartesian coordinate system.

7.2 The equation of a general quadratic function can be written in the so-called vertex form below:

$$\begin{aligned} f: D &\rightarrow \mathbb{R} && (D \subseteq \mathbb{R}) \\ x &\mapsto y = f(x) = a(x - u)^2 + v && (a \in \mathbb{R} \setminus \{0\}, u \in \mathbb{R}, v \in \mathbb{R}) \end{aligned}$$

Investigate the influence of the three parameters  $\mathbf{a}$ ,  $\mathbf{u}$ , and  $\mathbf{v}$  on the graph of the quadratic function by always varying only one parameter and keeping the other two parameters constant:

- Parameter  $\mathbf{u}$       (**varying  $\mathbf{u}$** , keeping  $\mathbf{a}$  and  $\mathbf{v}$  constant)  
 $y = f_0(x) = x^2$       ( $\mathbf{a} = 1, \mathbf{u} = \mathbf{0}, \mathbf{v} = \mathbf{0}$ )  
 $y = f_1(x) = (x - 2)^2$       ( $\mathbf{a} = 1, \mathbf{u} = \mathbf{2}, \mathbf{v} = \mathbf{0}$ )  
 $y = f_2(x) = (x + 1)^2$       ( $\mathbf{a} = 1, \mathbf{u} = \mathbf{-1}, \mathbf{v} = \mathbf{0}$ )
  - Sketch the graphs of the functions  $f_0$ ,  $f_1$ , and  $f_2$  into one coordinate system.
  - Describe the influence of the parameter  $\mathbf{u}$  on the graph of the quadratic function.
- Parameter  $\mathbf{v}$       (**varying  $\mathbf{v}$** , keeping  $\mathbf{a}$  and  $\mathbf{u}$  constant)  
 $y = f_0(x) = x^2$       ( $\mathbf{a} = 1, \mathbf{u} = \mathbf{0}, \mathbf{v} = \mathbf{0}$ )  
 $y = f_1(x) = x^2 + 3$       ( $\mathbf{a} = 1, \mathbf{u} = \mathbf{0}, \mathbf{v} = \mathbf{3}$ )  
 $y = f_2(x) = x^2 - 2$       ( $\mathbf{a} = 1, \mathbf{u} = \mathbf{0}, \mathbf{v} = \mathbf{-2}$ )
  - Sketch the graphs of the functions  $f_0$ ,  $f_1$ , and  $f_2$  into one coordinate system.
  - Describe the influence of the parameter  $\mathbf{v}$  on the graph of the quadratic function.
- Parameter  $\mathbf{a}$       (**varying  $\mathbf{a}$** , keeping  $\mathbf{u}$  and  $\mathbf{v}$  constant)  
 $y = f_0(x) = x^2$       ( $\mathbf{a} = \mathbf{1}, \mathbf{u} = \mathbf{0}, \mathbf{v} = \mathbf{0}$ )  
 $y = f_1(x) = 2x^2$       ( $\mathbf{a} = \mathbf{2}, \mathbf{u} = \mathbf{0}, \mathbf{v} = \mathbf{0}$ )  
 $y = f_2(x) = -2x^2$       ( $\mathbf{a} = \mathbf{-2}, \mathbf{u} = \mathbf{0}, \mathbf{v} = \mathbf{0}$ )
  - Sketch the graphs of the functions  $f_0$ ,  $f_1$ , and  $f_2$  into one coordinate system.
  - Describe the influence of the parameter  $\mathbf{a}$  on the graph of the quadratic function.

d) Parameter **a** (varying **a**, keeping **u** and **v** constant)

$$y = f_0(x) = x^2 \quad (\mathbf{a} = 1, u = 0, v = 0)$$

$$y = f_1(x) = \frac{1}{2}x^2 \quad (\mathbf{a} = \frac{1}{2}, u = 0, v = 0)$$

$$y = f_2(x) = -\frac{1}{2}x^2 \quad (\mathbf{a} = -\frac{1}{2}, u = 0, v = 0)$$

- i) Sketch the graphs of the functions  $f_0$ ,  $f_1$ , and  $f_2$  into one coordinate system.
- ii) Describe the influence of the parameter **a** on the graph of the quadratic function.

7.3 For each quadratic function  $f: \mathbb{R} \rightarrow \mathbb{R}, x \mapsto y = f(x)$  in a) to h) ...

- i) ... state the parameters **a**, **u**, and **v**.
- ii) ... state the coordinates of the vertex of the graph.
- iii) ... state whether the parabola, i.e. the graph of the function, opens upwards or downwards.
- iv) ... graph the function.

a)  $y = f(x) = (x + 2)^2$

b)  $y = f(x) = -3x^2$

c)  $y = f(x) = 2x^2 - 1$

d)  $y = f(x) = -(x - 3)^2 + 4$


e)  $y = f(x) = \frac{1}{2}(x + 3)^2 + 2$

f)  $y = f(x) = -2(x - 1)^2 + 5$

g)  $y = f(x) = \frac{5}{2} - \left(x - \frac{1}{2}\right)^2$

h)  $y = f(x) = -\frac{1}{2} - 3(2 - x)^2$

7.4 Look at the graphs of the quadratic functions  $f_0$ ,  $f_1$ , and  $f_2$ :



Determine the equations of the three functions, i.e.  $y = f(x) = \dots$

7.5 The equation of a quadratic function  $f$  is written in the vertex form. Determine the general form of the equation:

a)  $y = f(x) = 2(x - 3)^2 + 4$

b)  $y = f(x) = -(x + 2)^2 - 3$

c)  $y = f(x) = x^2 + 5$

d)  $y = f(x) = -3(x - 4)^2$

7.6 Convert the given equation of a quadratic function into the vertex form by completing the square:

- |                                          |                                                       |
|------------------------------------------|-------------------------------------------------------|
| a) $y = f(x) = 3x^2 - 12x + 8$           | b) $y = f(x) = x^2 + 6x$                              |
| c) $y = f(x) = x^2 - 2x + 1$             | d) $y = f(x) = 2x^2 + 12x + 18$                       |
| e) $y = f(x) = -2x^2 - 6x - 2$           | f) $y = f(x) = x^2 + 1$                               |
| g) $y = f(x) = -\frac{1}{2}x^2 + 2x - 2$ | h) $y = f(x) = -4x^2 + 24x - 43$                      |
| i) $y = f(x) = 2(x - 3)(x + 4)$          | j) $y = f(x) = x + 3 - \left(x + \frac{1}{2}\right)x$ |

7.7 For the graphs of the quadratic functions  $f: \mathbb{R} \rightarrow \mathbb{R}$ ,  $x \mapsto y = f(x)$  in a) to f) ...

- i) ... determine the coordinates of the vertex.  
ii) ... state whether the parabola opens upwards or downwards.

- |                                           |                                                             |
|-------------------------------------------|-------------------------------------------------------------|
| a) $y = f(x) = 2x^2 + 12x + 20$           | b) $y = f(x) = \frac{1}{2}x^2 + \frac{3}{2}x + \frac{1}{2}$ |
| c) $y = f(x) = 12x - 3x^2 - 11$           | d) $y = f(x) = x(-0.2x + 1.2) - 2.8$                        |
| e) $y = f(x) = \frac{17 + 12x + 2x^2}{4}$ | f) $y = f(x) = 7x(3 - x) - 13.25$                           |

7.8 Decide which statements are true or false. Put a mark into the corresponding box.  
In each problem a) to c), exactly one statement is true.

- a) The graph of a quadratic function ...
- ... always intersects the x-axis in two points.
  - ... opens downwards if it has no point in common with the x-axis.
  - ... touches the x-axis if there is only one vertex.
  - ... is always a parabola.
- b)  $f$  is a linear function, and  $g$  is a quadratic function. It can be concluded that the graphs of  $f$  and  $g$  ...
- ... have no points in common.
  - ... intersect only if the slope of  $f$  is not equal to zero.
  - ... cannot have more than two points in common.
  - ... have at least one point in common.
- c) The vertex form of the equation of a quadratic function ...
- ... is identical with the general form if the vertex of the graph is on the y-axis.
  - ... can be obtained from the general form by multiplying out all the terms.
  - ... does not exist if the graph opens downwards.
  - ... only depends on the position of the vertex.

**Answers**

7.1 see theory

7.2 see theory

- 7.3 a) i)  $a = 1, u = -2, v = 0$   
ii)  $V(-2|0)$   
iii) parabola opens upwards  
iv) ...
- b) i)  $a = -3, u = 0, v = 0$   
ii)  $V(0|0)$   
iii) parabola opens downwards  
iv) ...
- c) i)  $a = 2, u = 0, v = -1$   
ii)  $V(0|-1)$   
iii) parabola opens upwards  
iv) ...
- d) i)  $a = -1, u = 3, v = 4$   
ii)  $V(3|4)$   
iii) parabola opens downwards  
iv) ...
- e) i)  $a = \frac{1}{2}, u = -3, v = 2$   
ii)  $V(-3|2)$   
iii) parabola opens upwards  
iv) ...
- f) i)  $a = -2, u = 1, v = 5$   
ii)  $V(1|5)$   
iii) parabola opens downwards  
iv) ...
- g) i)  $a = -1, u = \frac{1}{2}, v = \frac{5}{2}$   
ii)  $V\left(\frac{1}{2}|\frac{5}{2}\right)$   
iii) parabola opens downwards  
iv) ...

- h) i)  $a = -3, u = 2, v = -\frac{1}{2}$   
 ii)  $V\left(2 \mid -\frac{1}{2}\right)$   
 iii) parabola opens downwards  
 iv) ...

7.4  $y = f_0(x) = x^2$   
 $y = f_1(x) = 2(x - 2)^2 - 4$   
 $y = f_2(x) = -\frac{1}{2}(x + 1)^2 + 6$

- 7.5 a)  $y = f(x) = 2x^2 - 12x + 22$   
 b)  $y = f(x) = -x^2 - 4x - 7$   
 c)  $y = f(x) = x^2 + 5$

Notice:

- This is both the general and the vertex form of the equation.

d)  $y = f(x) = -3x^2 + 24x - 48$

- 7.6 a)  $y = f(x) = 3(x - 2)^2 - 4$       b)  $y = f(x) = (x + 3)^2 - 9$   
 c)  $y = f(x) = (x - 1)^2$       d)  $y = f(x) = 2(x + 3)^2$   
 e)  $y = f(x) = -2\left(x + \frac{3}{2}\right)^2 + \frac{5}{2}$       f)  $y = f(x) = x^2 + 1$   
 g)  $y = f(x) = -\frac{1}{2}(x - 2)^2$       h)  $y = f(x) = -4(x - 3)^2 - 7$   
 i)  $y = f(x) = 2\left(x + \frac{1}{2}\right)^2 - \frac{49}{2}$       j)  $y = f(x) = -\left(x - \frac{1}{4}\right)^2 + \frac{49}{16}$

- 7.7 a) i)  $V(-3 \mid 2)$       b) i)  $V\left(-\frac{3}{2} \mid -\frac{5}{8}\right)$   
 ii) parabola opens upwards      ii) parabola opens upwards  
 c) i)  $V(2 \mid 1)$       d) i)  $V(3 \mid -1)$   
 ii) parabola opens downwards      ii) parabola opens downwards  
 e) i)  $V\left(-3 \mid -\frac{1}{4}\right)$       f) i)  $V\left(\frac{3}{2} \mid \frac{5}{2}\right)$   
 ii) parabola opens upwards      ii) parabola opens downwards

- 7.8 a) 4<sup>th</sup> statement  
 b) 3<sup>rd</sup> statement  
 c) 1<sup>st</sup> statement