

Exercises 8 Quadratic function and equations Quadratic function/equations, supply, demand, market equilibrium

Objectives

- know and understand the relation between a quadratic function and a quadratic equation.
- be able to solve a quadratic equation with the method of completing the square.
- be able to solve a quadratic equation by applying the quadratic formula.
- be able to solve special quadratic equations without applying the quadratic formula.
- be able to solve a quadratic equation containing a parameter.
- be able to determine the vertex form of the equation of a quadratic function out of the coordinates of the vertex and the coordinates of another point of the corresponding parabola.
- be able to determine the general form of the equation of a quadratic function out of the coordinates of three points of the corresponding parabola.
- be able to treat applied tasks in economics by means of quadratic equations or systems of quadratic equations.

Problems

8.1 Each quadratic equation can be converted into the following general form:

$$ax^2 + bx + c = 0 \quad (a \in \mathbb{R} \setminus \{0\}, b \in \mathbb{R}, c \in \mathbb{R}) \quad (*)$$

Determine the number of solutions that a quadratic equation can have, i.e. try to find out the different possible cases of the number of solutions.

Hints:

- Remember our discussion about the possible number of solutions of a linear equation.
- Compare the left hand side of the quadratic equation (*) with the general form of the equation of a quadratic function.
- Think of the graph of a quadratic function.

8.2 Solve the quadratic equations below using ...

- i) ... the method of completing the square.
- ii) ... the quadratic formula.

State the solution set for each equation.

- a) $x^2 + 10x + 24 = 0$
- b) $2x^2 - 7x + 3 = 0$
- c) $x^2 + 2x + 8 = 0$
- d) $x^2 - 14x + 49 = 0$

8.3 Solve the quadratic equations below using the quadratic formula. State the solution set for each equation.

- a) $x^2 + 22x + 121 = 0$
- b) $5x^2 + 8x - 4 = 0$
- c) $5x^2 - 8x + 4 = 0$
- d) $24x^2 - 65x + 44 = 0$
- e) $\frac{1}{6}x^2 - \frac{5}{4}x + \frac{3}{2} = 0$
- f) $-9x^2 - 54x - 63 = 0$

8.4 Solve the equations below. State the solution set for each equation.

- a) $9(x - 10) - x(x - 15) = x$
- b) $3(x^2 + 2) - x(x + 9) = 11$
- c) $y^3 + 19 = (y + 4)^3$
- d) $\frac{9x - 8}{4x + 7} = \frac{3x}{2x + 5}$
- e) $\frac{x^2}{x - 6} - \frac{6x}{6 - x} = 1$
- f) $\frac{8}{x^2 - 4} + \frac{2}{2 - x} = 3x - 1$

8.5 Solve the quadratic equations below without using the quadratic formula. State the solution set for each equation.

- | | | | |
|----|------------------------|----|-----------------------|
| a) | $(x + 2)(x + 5) = 0$ | b) | $(x - 8)(5x - 9) = 0$ |
| c) | $x^2 - 3x = 0$ | d) | $x^2 + 7x = 0$ |
| e) | $4x^2 - 9 = 0$ | f) | $100x^2 - 1 = 0$ |
| g) | $(3x - 2)(4x + 1) = 0$ | h) | $4x^2 + 5x = 0$ |
| i) | $3x^2 = 27$ | j) | $x^2 = x$ |

8.6 Solve the equations below. State the solution set for each equation.

- | | | | |
|----|--|----|---------------------------|
| a) | $(7 + x)(7 - x) = (3x + 2)^2 - (2x + 3)^2$ | b) | $(x - 3)(2x - 7) = 1$ |
| c) | $\frac{x-4}{x-5} = \frac{30-x^2}{x^2-5x}$ | d) | $\frac{x^2-x-2}{2-x} = 1$ |
| e) | $\frac{x^2-4}{x^2-4} = 0$ | f) | $\frac{x^2-4}{x^2-4} = 1$ |

8.7 The quadratic equations below contain a parameter p. Therefore, the solution set of the equations will depend on the value of this parameter.

Solve the equations for x.

- | | | | |
|----|---------------------|----|-----------------|
| a) | $x^2 + x + p = 0$ | b) | $2x^2 = 3x - p$ |
| c) | $3x^2 + px - p = 0$ | | |

8.8 A parabola has the vertex V and contains the point P. Determine the equation of the corresponding quadratic function both in the vertex and in the general form.

- | | | |
|----|---------|---------|
| a) | V(2 4) | P(-1 7) |
| b) | V(1 -8) | P(2 -7) |

8.9 A parabola contains the three points P, Q, and R. Determine the equation of the corresponding quadratic function in the general form.

- | | | | |
|----|---------|--------|----------|
| a) | P(-4 8) | Q(0 0) | R(10 15) |
| b) | P(1 -1) | Q(2 4) | R(4 8) |

8.10 Find the equilibrium quantity and equilibrium price of a commodity for the given supply and demand functions f_s and f_d :

- | | | |
|----|--------|------------------------------------|
| a) | supply | $p = f_s(q) = \frac{1}{4}q^2 + 10$ |
| | demand | $p = f_d(q) = 86 - 6q - 3q^2$ |
| b) | supply | $p = f_s(q) = q^2 + 8q + 16$ |
| | demand | $p = f_d(q) = -3q^2 + 6q + 436$ |

8.11 (see next page)

- 8.11 The total costs $C(x)$ (in CHF) for producing x items and the revenues $R(x)$ (in CHF) for selling x items are given by

$$C(x) = 2000 + 40x + x^2$$
$$R(x) = 130x$$

Find the break-even points.

- 8.12 The total costs $C(x)$ (in CHF) for producing x items and the revenues $R(x)$ (in CHF) for selling x items are given by

$$C(x) = x^2 + 100x + 80$$
$$R(x) = 160x - 2x^2$$

How many items are to be produced and sold in order to achieve a profit of 200 CHF?

- 8.13 Decide which statements are true or false. Put a mark into the corresponding box.
In each problem a) to c), exactly one statement is true.

a) A quadratic equation ...

- ... has no solution whenever the vertex of the graph of the corresponding quadratic function is below the x-axis.
- ... always has one or two solutions.
- ... has exactly one solution if the vertex of the graph of the corresponding quadratic function is on the x-axis.
- ... can have infinitely many solutions.

b) The graph of a quadratic function ...

- ... is uniquely defined whenever the vertex and one further point of the graph are known.
- ... is a straight line if the corresponding quadratic equation has exactly one solution.
- ... is a quadratic equation.
- ... can be determined by solving a quadratic equation.

c) If the total cost function is quadratic and the total revenue function is linear ...

- ... there is always exactly one break-even point.
- ... a break-even point corresponds to a solution of a quadratic equation.
- ... no profit can be realised whenever the linear function has a positive slope.
- ... the vertex of the graph of the cost function cannot be below the x-axis.

Answers

8.1 ...

- | | | | | |
|-----|----|-------------------------------------|----|--|
| 8.2 | a) | $S = \{-6, -4\}$ | b) | $S = \left\{\frac{1}{2}, 3\right\}$ |
| | c) | $S = \{ \}$ | d) | $S = \{7\}$ |
| 8.3 | a) | $S = \{-11\}$ | b) | $S = \left\{-2, \frac{2}{5}\right\}$ |
| | c) | $S = \{ \}$ | d) | $S = \left\{\frac{4}{3}, \frac{11}{8}\right\}$ |
| | e) | $S = \left\{\frac{3}{2}, 6\right\}$ | f) | $S = \{-3 - \sqrt{2}, -3 + \sqrt{2}\}$ |
| 8.4 | a) | $S = \{5, 18\}$ | b) | $S = \{5, -1/2\}$ |
| | c) | $S = \{-3/2, -5/2\}$ | d) | $S = \{2, -10/3\}$ |
| | e) | $S = \{-2, -3\}$ | f) | $S = \left\{-\frac{5}{3}, 0\right\}$ |
| 8.5 | a) | $S = \{-5, -2\}$ | b) | $S = \{9/5, 8\}$ |
| | c) | $S = \{0, 3\}$ | d) | $S = \{-7, 0\}$ |
| | e) | $S = \{-3/2, 3/2\}$ | f) | $S = \{-1/10, 1/10\}$ |
| | g) | $S = \{-1/4, 2/3\}$ | h) | $S = \{-5/4, 0\}$ |
| | i) | $S = \{-3, 3\}$ | j) | $S = \{0, 1\}$ |
| 8.6 | a) | $S = \{-3, 3\}$ | b) | $S = \{5/2, 4\}$ |
| | c) | $S = \{-3\}$ | d) | $S = \{-2\}$ |
| | e) | $S = \{ \}$ | f) | $S = \mathbb{R} \setminus \{-2, 2\}$ |

- 8.7 a) if $p < \frac{1}{4}$: 2 solutions $x_{1,2} = \frac{-1 \pm \sqrt{1-4p}}{2}$
 if $p = \frac{1}{4}$: 1 solution $x = -\frac{1}{2}$
 if $p > \frac{1}{4}$: no solution $S = \{ \}$

Hints:

- Use the quadratic formula.
- The number of solutions (2 solutions, 1 solution, no solution) of the quadratic equation will depend on the term under the square root (positive, equal to zero, negative).

- | | | | |
|----|------------------------|-------------|---|
| b) | if $p < \frac{9}{8}$: | 2 solutions | $x_{1,2} = \frac{3 \pm \sqrt{9-8p}}{4}$ |
| | if $p = \frac{9}{8}$: | 1 solution | $x = \frac{3}{4}$ |
| | if $p > \frac{9}{8}$: | no solution | $S = \{ \}$ |
| c) | if $p < -12$: | 2 solutions | $x_{1,2} = \frac{-p \pm \sqrt{p^2+12p}}{6}$ |
| | if $p = -12$: | 1 solution | $x = 2$ |
| | if $-12 < p < 0$: | no solution | $S = \{ \}$ |
| | if $p = 0$: | 1 solution | $x = 0$ |
| | if $p > 0$: | 2 solutions | $x_{1,2} = \frac{-p \pm \sqrt{p^2+12p}}{6}$ |

8.8 a) $y = f(x) = \frac{1}{3}(x - 2)^2 + 4 = \frac{1}{3}x^2 - \frac{4}{3}x + \frac{16}{3}$

Hints:

- Start with the vertex form of the equation of a quadratic function.
- That equation contains three unknown parameters.
- Two parameters in the equation are the coordinates of the vertex V.
- P is a point of the graph of the quadratic function. Therefore, the coordinates of P must fulfil the equation of the quadratic function. This yields an equation which contains the remaining unknown parameter.

b) $y = f(x) = (x - 1)^2 - 8 = x^2 - 2x - 7$

8.9 a) $y = f(x) = \frac{1}{4}x^2 - x$

Hints:

- Start with the general form of the equation of a quadratic function.
- That equation contains three unknown parameters.
- P, Q, and R are points of the graph of the quadratic function. Therefore, the coordinates of P, Q, and R must fulfil the equation of the quadratic function. This yields a system of three equations in the unknown three parameters.

b) $y = f(x) = -x^2 + 8x - 8$

8.10 a) at market equilibrium: $q = 4, p = 14$

Hint:

- The supply and demand functions have the same values at market equilibrium.

b) at market equilibrium: $q = 10, p = 196$

8.11 $x_1 = 40, x_2 = 50$

Hint:

- The cost and revenue functions have the same values at the break-even points.

8.12 profit $P(x) = R(x) - C(x) = -3x^2 + 60x - 80 = 200$

$\Rightarrow S = \{7.41\dots, 12.58\dots\}$

$\Rightarrow 7$ or 13 items

8.13 a) 3rd statement

b) 1st statement

c) 2nd statement