

Exercises 7 Quadratic function and equations Quadratic function

Objectives

- be able to graph a quadratic function out of the vertex form of its equation.
- be able to determine the position of the vertex of a parabola out of the vertex form of the equation of the corresponding quadratic function.
- be able to convert the vertex form of the equation of a quadratic function into the general form.
- know, understand, and be able to apply the method of completing the square.
- be able to convert the general form of the equation of a quadratic function into the vertex form.

Problems

7.1 Look at the easiest possible quadratic function:

$$\begin{aligned} f: \mathbb{R} &\rightarrow \mathbb{R} \\ x &\mapsto y = f(x) = x^2 \end{aligned}$$

- Establish a table of values of f for the interval $-4 \leq x \leq 4$.
- Draw the graph of f in the interval $-4 \leq x \leq 4$ into a Cartesian coordinate system.

7.2 The equation of a general quadratic function can be written in the so-called vertex form below:

$$\begin{aligned} f: D &\rightarrow \mathbb{R} && (D \subseteq \mathbb{R}) \\ x &\mapsto y = f(x) = a(x - u)^2 + v && (a \in \mathbb{R} \setminus \{0\}, u \in \mathbb{R}, v \in \mathbb{R}) \end{aligned}$$

Investigate the influence of the three parameters \mathbf{a} , \mathbf{u} , and \mathbf{v} on the graph of the quadratic function by always varying only one parameter and keeping the other two parameters constant:

- Parameter \mathbf{u} (varying \mathbf{u} , keeping \mathbf{a} and \mathbf{v} constant)**
 $y = f_0(x) = x^2$ ($\mathbf{a} = 1, \mathbf{u} = \mathbf{0}, \mathbf{v} = 0$)
 $y = f_1(x) = (x - 2)^2$ ($\mathbf{a} = 1, \mathbf{u} = \mathbf{2}, \mathbf{v} = 0$)
 $y = f_2(x) = (x + 1)^2$ ($\mathbf{a} = 1, \mathbf{u} = \mathbf{-1}, \mathbf{v} = 0$)
 - Sketch the graphs of the functions f_0 , f_1 , and f_2 into one coordinate system.
 - Describe the influence of the parameter \mathbf{u} on the graph of the quadratic function.
- Parameter \mathbf{v} (varying \mathbf{v} , keeping \mathbf{a} and \mathbf{u} constant)**
 $y = f_0(x) = x^2$ ($\mathbf{a} = 1, \mathbf{u} = 0, \mathbf{v} = \mathbf{0}$)
 $y = f_1(x) = x^2 + 3$ ($\mathbf{a} = 1, \mathbf{u} = 0, \mathbf{v} = \mathbf{3}$)
 $y = f_2(x) = x^2 - 2$ ($\mathbf{a} = 1, \mathbf{u} = 0, \mathbf{v} = \mathbf{-2}$)
 - Sketch the graphs of the functions f_0 , f_1 , and f_2 into one coordinate system.
 - Describe the influence of the parameter \mathbf{v} on the graph of the quadratic function.
- Parameter \mathbf{a} (varying \mathbf{a} , keeping \mathbf{u} and \mathbf{v} constant)**
 $y = f_0(x) = x^2$ ($\mathbf{a} = \mathbf{1}, \mathbf{u} = 0, \mathbf{v} = 0$)
 $y = f_1(x) = 2x^2$ ($\mathbf{a} = \mathbf{2}, \mathbf{u} = 0, \mathbf{v} = 0$)
 $y = f_2(x) = -2x^2$ ($\mathbf{a} = \mathbf{-2}, \mathbf{u} = 0, \mathbf{v} = 0$)
 - Sketch the graphs of the functions f_0 , f_1 , and f_2 into one coordinate system.
 - Describe the influence of the parameter \mathbf{a} on the graph of the quadratic function.

d) Parameter **a** (varying **a**, keeping **u** and **v** constant)

$$\begin{aligned} y = f_0(x) &= x^2 & (\mathbf{a} = 1, u = 0, v = 0) \\ y = f_1(x) &= \frac{1}{2}x^2 & (\mathbf{a} = \frac{1}{2}, u = 0, v = 0) \\ y = f_2(x) &= -\frac{1}{2}x^2 & (\mathbf{a} = -\frac{1}{2}, u = 0, v = 0) \end{aligned}$$

- i) Sketch the graphs of the functions f_0 , f_1 , and f_2 into one coordinate system.
- ii) Describe the influence of the parameter **a** on the graph of the quadratic function.

7.3 For each quadratic function $f: \mathbb{R} \rightarrow \mathbb{R}, x \mapsto y = f(x)$ in a) to h) ...

- i) ... state the parameters **a**, **u**, and **v**.
- ii) ... state the coordinates of the vertex of the graph.
- iii) ... state whether the parabola, i.e. the graph of the function, opens upwards or downwards.
- iv) ... graph the function.

a) $y = f(x) = (x + 2)^2$

b) $y = f(x) = -3x^2$

c) $y = f(x) = 2x^2 - 1$

d) $y = f(x) = -(x - 3)^2 + 4$


e) $y = f(x) = \frac{1}{2}(x + 3)^2 + 2$

f) $y = f(x) = -2(x - 1)^2 + 5$

g) $y = f(x) = \frac{5}{2} - \left(x - \frac{1}{2}\right)^2$

h) $y = f(x) = -\frac{1}{2} - 3(2 - x)^2$

7.4 Look at the graphs of the quadratic functions f_0 , f_1 , and f_2 :



Determine the equations of the three functions, i.e. $y = f(x) = \dots$

7.5 The equation of a quadratic function f is written in the vertex form. Determine the general form of the equation:

a) $y = f(x) = 2(x - 3)^2 + 4$

b) $y = f(x) = -(x + 2)^2 - 3$

c) $y = f(x) = x^2 + 5$

d) $y = f(x) = -3(x - 4)^2$

7.6 Convert the given equation of a quadratic function into the vertex form by completing the square:

- | | | | |
|----|---------------------------------------|----|--|
| a) | $y = f(x) = 3x^2 - 12x + 8$ | b) | $y = f(x) = x^2 + 6x$ |
| c) | $y = f(x) = x^2 - 2x + 1$ | d) | $y = f(x) = 2x^2 + 12x + 18$ |
| e) | $y = f(x) = -2x^2 - 6x - 2$ | f) | $y = f(x) = x^2 + 1$ |
| g) | $y = f(x) = -\frac{1}{2}x^2 + 2x - 2$ | h) | $y = f(x) = -4x^2 + 24x - 43$ |
| i) | $y = f(x) = 2(x - 3)(x + 4)$ | j) | $y = f(x) = x + 3 - \left(x + \frac{1}{2}\right)x$ |

7.7 For the graphs of the quadratic functions f in exercises 7.6 a) to j) ...

- i) ... determine the coordinates of the vertex.
- ii) ... state whether the parabola opens upwards or downwards.

7.8 Decide which statements are true or false. Put a mark into the corresponding box.
In each problem a) to c), exactly one statement is true.

- a) The graph of a quadratic function ...
- ... always intersects the x-axis in two points.
 - ... opens downwards if it has no point in common with the x-axis.
 - ... touches the x-axis if there is only one vertex.
 - ... is always a parabola.
- b) f is a linear function, and g is a quadratic function. It can be concluded that the graphs of f and g ...
- ... have no points in common.
 - ... intersect only if the slope of f is not equal to zero.
 - ... cannot have more than two points in common.
 - ... have at least one point in common.
- c) The vertex form of the equation of a quadratic function ...
- ... is identical with the general form if the vertex of the graph is on the y-axis.
 - ... can be obtained from the general form by multiplying out all the terms.
 - ... does not exist if the graph opens downwards.
 - ... only depends on the position of the vertex.

Answers

7.1 ...

7.2 a) i) ...
ii) shift by u units in the positive x -direction

b) i) ...
ii) shift by v units in the positive y -direction

c) i) ...
ii) dilation by the factor a in the y direction with respect to the origin
if $a < 0$: reflection with respect to the x -axis

d) i) ...
ii) compression by the factor $1/a$ in the y direction with respect to the origin
if $a < 0$: reflection with respect to the x -axis

7.3 a) i) $a = 1, u = -2, v = 0$
ii) $V(-2|0)$
iii) parabola opens upwards
iv) ...

b) i) $a = -3, u = 0, v = 0$
ii) $V(0|0)$
iii) parabola opens downwards
iv) ...

c) i) $a = 2, u = 0, v = -1$
ii) $V(0|-1)$
iii) parabola opens upwards
iv) ...

d) i) $a = -1, u = 3, v = 4$
ii) $V(3|4)$
iii) parabola opens downwards
iv) ...

e) (see next page)

- e) i) $a = \frac{1}{2}, u = -3, v = 2$
ii) $V(-3|2)$
iii) parabola opens upwards
iv) ...
- f) i) $a = -2, u = 1, v = 5$
ii) $V(1|5)$
iii) parabola opens downwards
iv) ...
- g) i) $a = -1, u = \frac{1}{2}, v = \frac{5}{2}$
ii) $V\left(\frac{1}{2}|\frac{5}{2}\right)$
iii) parabola opens downwards
iv) ...
- h) i) $a = -3, u = 2, v = -\frac{1}{2}$
ii) $V\left(2|-\frac{1}{2}\right)$
iii) parabola opens downwards
iv) ...

7.4 $y = f_0(x) = x^2$
 $y = f_1(x) = 2(x - 2)^2 - 4$
 $y = f_2(x) = -\frac{1}{2}(x + 1)^2 + 6$

Hints:

- The graph directly tells you the coordinates of the vertex.
- Consider a further point of the graph.

7.5 a) $y = f(x) = 2x^2 - 12x + 22$
b) $y = f(x) = -x^2 - 4x - 7$
c) $y = f(x) = x^2 + 5$

Notice:

- This is both the general and the vertex form of the equation.

d) $y = f(x) = -3x^2 + 24x - 48$

7.6 a) $y = f(x) = 3(x - 2)^2 - 4$
b) $y = f(x) = (x + 3)^2 - 9$
c) $y = f(x) = (x - 1)^2$
d) $y = f(x) = 2(x + 3)^2$

e) $y = f(x) = -2 \left(x + \frac{3}{2}\right)^2 + \frac{5}{2}$

f) $y = f(x) = x^2 + 1$

Notice:

- This is both the general and the vertex form of the equation.

g) $y = f(x) = -\frac{1}{2}(x - 2)^2$

h) $y = f(x) = -4(x - 3)^2 - 7$

i) $y = f(x) = 2 \left(x + \frac{1}{2}\right)^2 - \frac{49}{2}$

j) $y = f(x) = -\left(x - \frac{1}{4}\right)^2 + \frac{49}{16}$

- | | | | | |
|-----|--|---|--|----------------------------|
| 7.7 | a) | i) $V(2 -4)$ | b) | i) $V(-3 -9)$ |
| | | ii) parabola opens upwards | | ii) parabola opens upwards |
| | c) | i) $V(1 0)$ | d) | i) $V(-3 0)$ |
| | | ii) parabola opens upwards | | ii) parabola opens upwards |
| | e) | i) $V\left(-\frac{3}{2} \frac{5}{2}\right)$ | f) | i) $V(0 1)$ |
| | | ii) parabola opens downwards | | ii) parabola opens upwards |
| g) | i) $V(2 0)$ | h) | i) $V(3 -7)$ | |
| | ii) parabola opens downwards | | ii) parabola opens downwards | |
| i) | i) $V\left(-\frac{1}{2} \frac{49}{2}\right)$ | j) | i) $V\left(\frac{1}{4} \frac{49}{16}\right)$ | |
| | ii) parabola opens upwards | | ii) parabola opens downwards | |

- 7.8
- a) 4th statement
 - b) 3rd statement
 - c) 1st statement